

L. Pralladion
Seaham Harbour
March 1888

I N D E X
MATERIÆ MEDICÆ:
OR,
A CATALOGUE
OF
Simple Medicines
That are fit to be used in the Practice of
PHYSICK and SURGERY.

CONTAINING

- I. The Officinal Name of each in LATIN, with the Accent and Genitive Case.
- II. A short Botanical Description of the SPECIES that is commonly used.
- III. The Name in GREEK and ENGLISH.
- IV. The PART that is most in USE.
- V. The NAMES of the DISPENSATORY, or SHOP-PREPAREATIONS and COMPOSITIONS.

To which are Added,

Two TABLES,

In the FIRST,

The Simple Medicines are reduced under general Heads.

And, in the SECOND,

They are classed according to their Principal Vertues.

London: Printed for GEORGE STRAHAN, at the Golden-Ball, over-against the Royal Exchange in Cornhill. 1724.

92626



ERRATA.

- P. 100. Parailysi, *l.* Paralyssi.
101. Pissælēum, *l.* Pisselæum.
103. Ceti Ranarum, *l.* Ceti.
Ranarum.
Murus, *l.* Morus.
105. Accidorum, *l.* acidorum.
107. Gossipii fructus, *nova linea*.
108. Betonicæ, *l.* Betonica.
Matricarium, *l.* Matricaria.
109. Vitricillatæ, *l.* Verticillatæ.
110. Lilium convalli, *l.* convallium.
115. Anipyret, *l.* Antipyret.
120. Rhaphontiticæ, *l.* Rhapontici.

BOOKS Printed for GEORGE STRAHAN, at the
Golden Ball, over-against the Royal Exchange, in Cornhill.

*T*entamina Medico-Physica, ad quasdam Quæstiones, quæ Oeconomiam Animalem spectant, accommodata. Quibus accessit Medicina Statica Britannica. Authore *Jacobo Keil, M. D.*

Fluxionum Methodus inversa; sive Quantitatum Fluentium Leges Generaliores. Ad celeberrimum Virum Archibaldum Pitcarnum Medicum Edinburgensem. A *Georgio Cheynæo, M. D. & F. R. S.*

Rudimentorum Methodi Fluxionum inversæ Specimina: Quæ Responsonem continent ad animadversiones *Ab. de Moivre* in Librum *G. Cheynæi, M. D. S. R. S.*

Introductio ad veram Astronomiam, seu Lectiones Astronomicæ habitæ in Schola Astronomica Academiæ Oxoniensis. Authore *Johanne Keil, M. D. Astronomæ Professore Saviliiano, R. S. S.* Editio secunda, auctior & emendatior.

Introductio ad veram Physicam, seu Lectiones Physicæ, eodem Authore.

Myographiæ Comparativæ Specimen: Or a Comparative Description of all the Muscles. Shewing their Discoverer, Origin, Progress, Insertion, Use and Difference. To which is added, An Account of the Muscles peculiar to a Woman, with an Etymological Table, and useful Indexes. By *James Douglas, M. D. and F. R. S.*

Essays on several Parts of the Animal Oeconomy, viz. I. Of the Quantity of Blood in the human Body. II. Of the Velocity of the Blood. III. Of the Force of the Heart in driving the Blood through the whole Body. IV. Of Animal Secretion. V. Of Muscular Motion. The second Edition, corrected and enlarged. By *James Keill, M. D.*

The Art of Curing Venereal Diseases explain'd by Natural and Mechanical Principles. By *Nicholas de Blagny, Chirurgeon to the French King.*

The Symptoms, Nature, Cause and Cure of a Gonorrhœa. The third Edition. By *W. Cockburn, M. D. F. R. S.* and of the College of Physicians.

Sea Diseases, Or a Treatise of their Nature, Causes and Cure. Also an Essay on Bleeding in Fevers; shewing the Quantities of Blood to be lett in any of their Periods. The second Edition, much improv'd; by the same Author.

Præfagium Medicum: Or the Prognostick Signs of Acute Diseases; establish'd by ancient Observation, and explain'd by the best modern Discoveries. The second Edition, with a Preface by Dr. *W. Cockburn.*

An Essay of the true Nature and due Method of treating the Gout. Together with an Account of the Nature and Quality of Bath Waters, the manner of using them, and the Diseases in which they are proper: As also of the Nature and Cure of most Chronical Distempers not publish'd before. By *Geo. Cheyne, M. D. and F. R. S.* The fifth Edition enlarrg'd to more than double the former.

A new Theory of Acute and Slow continued Fevers: Wherein, besides the Appearances of such, and the manner of their Cure, occasionally, the Structure of the Glands, and the Manner and Laws of Secretion, the Operation of Purgative, Vomitive and Mercurial Medicines are Mechanically explain'd. To which is prefix'd an Essay concerning the Improvements of Medicine. By the same Author. The third Edition, with many Additions.

I N D E X

Materiæ Medicæ.

Materiæ Medicæ Index.

A

A B I E S, ētis, fœmina, seu alba, folio sub-tus argenteo & fructu sursum spectante.

Mas, seu Rubra, Vid. *Picea*.

Scotica, Vid. *Pinus sylvestr.*

A B R O T ā N U M, tāni, Mas angustifolium majus.

A B S Y N T H ī U M, tbīi, latifolium, seu vulgāre majus.

Santonīcum, seu Alexandrīnum.

Maritīmum Anglicum, folio incāno, seu Romānum *Officin. Londinens.*

Pontīcum, tenuifolium, folio inferius albescente, seu Romānum verum.

A C A C ī A, cīæ, Vera, seu Spina Ægyptiāca foliis scorpoidis leguminōsæ, floribus luteis, siliquis compressis lupini. Anglica, seu Germanīca vulgaris, Vid. *Prunus Sylvestr.*

A C E T ō S A, tōfæ, Pratensis folio longo seu Vulgaris.

Rotundifolia hortensis, Franca seu Romana dicta.

A D I A N T U M, anti, album seu Mura-rium.

Nigrum officinar. seu foliis longioribus pulverulentis & pediculo nigro.

'Ελάτη Θηλεῖα,

'Ελάτη αρρήν.

'Αβείτανα.

'Αψιθιον.

-- Σαντίνιον.

-- Θαλάσσιον.

'Ακακία.

'Οξαλίσ.

'Αδιάντος.

Materiæ Medicæ Index.

3

A

The Female, or
Silver Firr-Tree.

Turiones, seu cacumina primo vere erumpentia, lignum.

Resina liquid. Tereb. Argent. dicta & siccæ seu *Thus* commune.

Southernwood.

Summitates cum foliis, seu cymæ teneræ.

Common Wormwood.

Summitates cum foliis, vel foliæ cum Floribus vel Seminibus.

Aq. comp. Sal fix. Vin. Absinthitis. Ol. Chym. & p. infus.

French Wormwood.

Germina Florum, vel semina.

English Sea Wormwood, or Roman Wormwood of the Shops.

Cymæ novellæ seu summitates & folia.

Conservæ.

Pontic, or true Roman Wormwood.

Tota Herba, sed raro.

True Acacia, or Egyptian Thorn.

Fructus, seu Siliquæ, sed rarissime.

Vera veterum Acacia, seu succus è fructu immaturo expressus & insipidatus.

Common Sorrel.

Folia, Radices.

Semina.

Folia.

Conservæ.

French, or round leaved Sorrel.

Herba integra.

White Maiden-Hair : or Wall-Rue.

Folia, seu Herba integra.

Black Maiden-Hair.

AGRIMONIA, *nīæ*, Odorata.

Vet̄erum Gr̄ecorum, seu Vulga-
ris.

'Ευπατόριον.

ALBUMEN, *iñis*, Ovi. Vid. Gallina.

Λεύκωμα.

ALCE, *Alces.*

'Αλκή.

ALCÉA, *cēæ*, Ind̄ica, seu Ægyptiāca Vil-
losa, Semine Moschato.

'Αλκέα, &
Αλκέα.ALCHIMILLA, *millæ*, Vulgāris major,
foliis ex luteo virentibus.

Σκόρδονα.

ALKEKENGI, Vulgare, Baccis ru-
bris.

'Αλόνη.

ALLIUM, *līi*, Hortense, seu Sativum
Vulgāre.ALOE, *lōes*, Vera, seu Americāna Vulgāris,
mucronāto folio crasso & succulento.

Guineensis, seu Vulgāri similis;
sed albis maculis picta, &
succo fœtidiōre referta.

Succotrina, Angustifolia, Spinō-
sa, seu Ind̄ica flore purpu-
rēo.

ALSINE, *sines*, media, seu vulgatissima
Officin.

'Αλσίνη.

ALTHAEA, *thææ*, Vulgāris, seu Dioscori-
dis & Plinii.

'Αλθαία.

ALUMEN, *iñis*, factitium, estque vel
Anglicum communē, Glacia-
le seu pellucidum; vel Roma-
num, seu Rochæ pallidè ru-
bescens. Vid. Lapis Alum.

Στυπτηξ.

Sweet-sinelling	<i>Agrimony.</i>	<i>Folia cum Floribus.</i>
Common Agrimony.		<i>Folia cum cymis floridis.</i>
The White of an Egg.		<i>Ungula.</i>
The Elk.		<i>Semen Bamja Moschata, or Musk-seed, dictum.</i>
Indian Mallow,		
or Marsh-Mallow.		
Ladies Mantle.		<i>Folia.</i>
Winter Cherry.		<i>Baccæ, seu fructus.</i>
Garlick.		<i>Radices.</i>
Herb Aloe, or Sea Houseleek.		<i>Succus foliorum inspissatus, Aloe Barbadiensis, or Common Aloes dictus.</i>
Common Chickweed.		<i>Succus inspissatus, Horse-Aloes dictus, Hujus vero pars purior, Aloe hepatica, dicitur.</i>
Marsh-Mallow.		<i>Succus inspissatus, True Succotrine Aloes dictus.</i>
English, or common Allam.		<i>Folia, seu herba integra.</i>
Roman, or Rock Allam.		<i>Folia.</i>
		<i>Radix.</i>
		Trochisci Alkekengi.
		Rad. conditæ.
		Syrpus ex Allio.
		Aloe Rosata Extract. Tinctura.
		Pilul. de Aloë lötâ, Aloe phang.
		Syrup. Dialth.
		Unguent. Dialth.

AMBRA, *bræ*, grisëa, seu ex albo grisëa.
Nigra.

Nomen Arabic.

AMMONIACUM, Vid. Ferula Ammoniaca.

Αμμωνιακον.

AMYGDALUS, *dăli*, Sativa, fructu magiore, & Cortice molliore.

Αμυγδαλεα,
Ω αμυγδαλη.

Amara major, cortice duriōri.

ANAGALLIS, *gallis*, & *idis*, aquatica major flore Cœruleo.

Αναγαλλις.

ANCHUSA, *chusæ*, Monspeliaca puniceis floribus.

Ανχουα.

ANETHUM, *nēthi*, Hortense, seu Vulgarē.

Ανθον.

ANGELICA, *licæ*, Sativa major, seu nostras odorata.

Συρφιον.

ANGUILLA, *guillæ*.

Εγχελους.

ANGUIS, *anguis*.

Οφις.

ANIMAL, Bezoardicum occidentale.

Moschiferum.

Zibethicum.

ANISUM, *nisi*, herbariis. pen. com.

Ανισον.

ANONIS, *idis*, Spinoso, flore purpureo.

Ανωνισ.

ANSER, *sēris*, Domesticus.

Χήν.

Materiæ Medicæ Index.

7

		Tinct. Spec. Diamb.
Ambergrease.	<i>Tota Substantia.</i>	
Black Amber- grease.	<i>Tota substantia.</i>	
The Almond-Tree	<i>Fruetuum Nuclei.</i>	Oleum per express.
The Bitter Al- mond-Tree.	<i>Fruetus, seu Nu- clei fructuum. Amyg- dala & Amygdalum amar. dictus.</i>	Oleum per express.
Brooklime.	<i>Herba.</i>	Aqua ex Amygdalis amar. Distillatitia.
Alkanet.	<i>Radix.</i>	
Dill.	<i>Semen.</i>	Ol. per Infus. & Chymic.
Angelica, or An- gelico.	<i>Folia. Radix. Semen. Stipites.</i>	Aqua Simplex. Composita. Stipites conditæ.
An Eel.	<i>Hepar cum Felle, Pinguedo.</i>	
The Snake.	<i>Hepar. Caro.</i>	
The Bezoar Deer.	<i>Lapis in Ventricu- lo repertus.</i>	
The Musk Ani- mal.	<i>Moschus, vel excre- mentum quoddam fol- liculis inclusum, pro- pè umbilicum bujus Animalis.</i>	
The Civet Cat.	<i>Zibethum vel ex- crementum in folli- culis glandulosis pro- pè inguina collectum.</i>	
Anise.	<i>Semina.</i>	Aq. Ol. Chymic.
Rest-harrow.	<i>Radices.</i>	
The Goose.	<i>Stercus. Adeps.</i>	

A. N. 16

A N T I M O N I U M, nī.

A P A R I N E, rīnes, Vulgāris.

A P I S, apis.

A P I U M, pii, Palustre Officin. seu Vulgāre.

Dulce, sceleri, seu celéri Italorum.

A Q U A Actoniensis.

Bathoniensis.

Bristoliensis.

Dulichiensis.

Epshamensis.

Fontāna, seu Dulcis.

Hamstadiensis.

Marīna.

Mineralis Aluminosa, Sulphurea,
Vitriolica, &c.

Nivea.

Pluvialis

Putealis Salsa.

Pyrmontāna.

Strethamensis.

Spadāna.

Scarburiensis.

Tunbrigensis.

A R A N ē A, nēæ, & Aranēus, nēi.

**A R B O R Ægyptiaca, vel Arabica (Euony-
mo similis) ex cuius Semine Ara-
bes potum conficiunt, Bon, vel
Ban appellatum.**

Στίμι.

Ἀπαεῖν.

Τρεσελινον,
vel

Ελεοσελινον.

Αεγχυο.

Antimony.	<i>Minera fusa in formâ Pyramidali.</i>	Antimon. Diaphor.
Goosegrass, or Cleavers.	<i>Herba integræ.</i>	Hepar, panac.
The Bee.	<i>Apes integræ.</i>	Vitrum Antim.
Smallage, or Marsh Apium.	<i>Mel. Favus.</i>	Cinnabaris, Regulus,
Celeri, or Selle- ry.	<i>Herba.</i>	Butyrum. Antim.
Axon Water.	<i>Radix.</i>	Tinctura, Cerussa.
Bath Water.	<i>Stipites Radicis</i>	Cera citrina.
Bristol Water.	<i>superna pars.</i>	alba.
Dulledge Water.	<i>In Middlesex.</i>	
Epsom Water.	<i>In Somersetshire.</i>	
Spring Water.	<i>In Gloucestershire.</i>	
Hamstead Water.	<i>In Surrey.</i>	
Islington Water.	<i>In Surrey.</i>	
Sea Water.	<i>In Middlesex.</i>	
Mineral Water,	<i>In Middlesex.</i>	
Snow Water.	<i>from whence Allom,</i>	
Rain Water,	<i>Vitriol, &c. are ex-</i>	
Well Water.	<i>tracted.</i>	
Pymont Water.	<i>In Surrey.</i>	
Stretham Water.	<i>In Yorkshire.</i>	
Spaw Water	<i>In Kent.</i>	
Scarborough.	<i>Animalia integræ,</i>	
Tunbridge Water.	<i>cum Ovulis, Telæ.</i>	
The Spider.	<i>Fruetus, seu Baccæ.</i>	
The Coffee-Tree.		

ARBOR Baccifera Brasiliensis, fructu piper
resipiente.

Laurifolia, aromatica, fructu calyculato,
racemoso.

Balsamifera Brasiliensis fructu monos-
permo.

Prima Hernand. foliis A-
mygdali, floribus luteis.

Benzoinifera folio Citri.

Brasiliensis Gummi Elëmi fundens.

Cacavifera Mexicanorum fructu oblon-
go, striato & rufo, peponi
magno simili, & nucibus pleno.

Camphorifera Sumatrana Borneensis,
&c.

Cacaba
Quabuitl.
Nom. Mex.

Canellifera Malabarica & Javanensis, cor-
tice acri, viscido, ac mucilagi-
nofo.

Zeylonica cortice acerrimo & præ-
stantissimo.

Cafsiam fistulam Alexandrinam ferens.

Fistulam Americanam, flore lu-
teo, foliis laurinis.

Draco, foliis verbasci amplis, & angu-
losis.

Farinifera palmam referens.

Kirrapuwora
Quahayob
Uatli 2. Nom.
Mex.

Ezquabuitl.
Nom. Mex.

The Cubeb-Tree.	<i>Fructus, seu Baccae pediculo longo armatae, Cubebæ dicti.</i>	
The wild Cinnamon-Tree.	<i>Cortex. Canella alba, & Cass. lign. Jamaicens.</i>	
The white Balsam-Tree.	<i>Balsamum Copivi, seu Copaiba.</i>	
The Natural Balsam Tree.	<i>Balsamum Peruvianum.</i>	
The Benjamin-Tree.	<i>Gummi-resina Benzoë dicta.</i>	
The Gum Elemi-Tree.	<i>Gummi, potius resina, Elemi dictum.</i>	<i>Linimentum Arcæi, seu è Gum. Elemi.</i>
The Cacao-Tree.	<i>Nuclei fructuum, seu fructus siliquis inclusus.</i>	<i>Confectio Chocolata dicta.</i>
The Camphor-Tree.	<i>Lignum.</i> <i>Radix.</i>	<i>Ex quibus, igne, Succus, seu Salvolatile, elicitus crudus, & s. A, refinatus.</i> <i>Sp. vin. camphor.</i>
The Cassia lignea Tree.	<i>Cortex Cassia lignea dictus.</i>	
The true Cinnamon-Tree.	<i>Cortex Cinnamomum dictus.</i>	<i>Aq. tenuis, Fortis, Oleum. Ch.</i>
The Pudding-pipe Tree.	<i>Fructus seu siliqua oblonga.</i>	<i>Medulla, seu pulpa nigra.</i>
The American Cassia Tree.		<i>Diacassia c. manna. Cassia extr.</i>
The Dragon-Tree.	<i>Succus Sanguis Draconis dictus.</i> <i>Radicis & Trunci Medulla.</i>	
The Sago-Tree.		<i>Cujus fæces granulatæ & exsiccatæ Sago, dicuntur.</i>

ARBO R Febrifūga Peruviāna.

Laurifolia Magellanica, cortice acri.

Nucifera aromatica, Pala, dicta, cuius
Fructus Nuces Moschatæ dicuntur.

Ка́пур.

Piperifera, seu frutex farmentosa, ex
quâ piper longum.

Populo similis resnōsa altera, foliis cre-
natis.

Safsāfras ex Floridâ, ficulnēo folio cre-
nato.

Styrax, ăcis, vulgāris, Cotonēi mali
folio.

Thurifera, seu Olibanifera.

Στύραξ.

Δευδελιβαρ.

Tubiformis, seu Tubaria Jamaicensis.

ARGENTUM nativum, seu minera ar-
genti.

Αργύρ.

Vivum nativum.

Τρεπρύρ.

ARGILLA, gilla.

ARISTOLOCHIA, chīa, longa, vera, seu
mascula, flore purpureo.

Αρχιλ.

Αειτολοχία.
μακέδ.

The Jesuits Bark Tree.	<i>Cortex Ramulorum & Trunci Arboris.</i>	Tinctura, Decoctum, Extractum.
Winters Cinnamon.	<i>Cortex Winteranus dictus.</i>	
The Putineg-Tree.	<i>Fruetus integer. Cortex exterior crassus ac viridis. Involucrum secundum Macis dictum. Putamen internum abjicitur. Nucleus, Nux Moschata vulgo dictus.</i>	Totus Fruetus conditus. Putamen exterius condit. Ol. & Spirit. chymic. Ol. Macis per express.
The long Pepper-Tree.	<i>Grana seu fructus Piper dictus.</i>	
The Tacamahac-Tree.	<i>Resina, Tecomaha-ca dicta.</i>	
The Bassastrass-Tree.	<i>Lignum, Cortex trunci & radicis.</i>	Ol. chym. Electuar.
The Storax-Tree.	<i>Resina Storax, & Styrax dicta.</i>	Pilulæ è Styrace.
The Olibanum-Tree.	<i>Resina, Olibanum, dicta.</i>	
The Trumpet-Tree.	<i>Rami & lignum.</i>	Cinères, Sal fixum.
Silver.		Argentum foliacium, Causticum Iunare.
Quick-silver.	<i>Mercur. dulc. sublimat. corros. præcipit. ruber albus & luteus. Pulv. princ. Empl. mercuriale, ung. enulat. c. ♀.</i>	
Clay.	<i>Latères.</i>	Oleum Lateritium.
True long rooted Birthwort.	<i>Radix.</i>	

A R I S T O L O C H I A rotunda, flore ex purpurâ nigro.

Scandens Jamaicensis, seu volubilis Mexicana, odoratissima, floris labello purpureo, semine Cordato, radice repente.

A R M E N I Ā C A, Vid. *Malus armeniaca*.

A R T E M I S Ā, sīa, Chinensis facie vulgaris.

Vulgaris, seu Latifolia major, caule & flore purpurascentibus.

A R U M, ari, Vulgare majus, non maculatum.

A R U N D O, dīnis, Saccharina, Saccharifera, & Saccharata.

'Αριστολοχία
τεφγύλη.

Tomabuaetla.
copatli. Nom.
Mexic.

'Αρτεμισία.

"Αρι.

Σάκκαρον &
Σάκκαρο.

A S S A - F O E T I D A, Vid. *Planta Assæ fætidæ*.

A S ā R U M, sāri, Vulgare rotundifolium.

'Ασαρέων.

A S I N U S, sīni.

A S P A R ā G U S, rāgi, Sativa, seu Domestica vulgaris.

A S T ā C U S, tāci, fluviatilis.

"Ονος.

'Ασπάραγος.

A T R ī P L E X, plīcis, fœtida, seu Olida sylvestris.

A V ē N A, vēnæ, Vulgaris, seu alba.

A U R A N T ī A, Vid. *Malus Aurantiæ*.

'Ατριφαξις.

Βερμος.

Xρυσός.

A U R U M Nativum, seu Virginéum.

A X U N G ī A Porci, Vid. *Porcus*.

Materiæ Medicæ Index.

15

Round-rooted Birthwort.	<i>Radix.</i>	
Jamaica Birthwort, falsely called Contraperba.	<i>Radix.</i>	
China Mugwort.	<i>Lanugo Moxa dicta.</i>	
Mugwort.	<i>Summitates cum foliis.</i>	<i>Syrupus de Artemisiâ.</i>
Make Robin, or Cucko-pint.	<i>Radices recentes.</i>	<i>Pulvis Ari compositus.</i>
Sugar Cane.	<i>Ex arundinibus seu Cannis maturis Succus moldâ expressus & artificiose decoctus & depurgatus, ex quo fit</i>	<i>Saccharum Griseum, seu Moscovade, album seu Cassonadum, candum, album & rubrum, St. Thomæum, Pyramidale, seu in conis, pendiatum, hordeatum, &c. Spt. ardens seu Rum, Mel Saccharinum, seu Metassos.</i>
Azabaracca, or Folefoot.	<i>Folia, Radices.</i>	<i>Pulvis Cephalicus.</i>
The Als.	<i>Lac Asinīnum.</i>	
Sparagus, or Sperage.	<i>Radices, Stolones.</i>	
The Crap-fish, or Crevice.	<i>Lapilli in capiti, oculicancrorum dicti. Astaci integri.</i>	
Stinking Ozache, Ozch, or Ozage.	<i>Folia.</i>	<i>Syrupus.</i>
Oatg.	<i>Granum, seu Semen.</i>	<i>Grana Deglubita, Liquor Avenaceus, Amylum Avenaceū.</i>
Gold.	<i>Minera Auri.</i>	<i>Aurum foliaceum, vel foliatum.</i>
		<i>Fulminans.</i>

B.

BALAUStiUM, Vid. *Malus Granata sylvestris.*

BALSaMUM Capivi, Copaiba, Copalli & Copaiva, Vid. *Arbor Balsamifera Brasiliensis.*

Giliadense, Judaicum, è Mechâ, verum genuinum Antiquorum & Syriacum, rutæ folio.

Peruviānum, seu Peruānum nigrum seu ex Peru. Vid. *Arbor Balsami Indic.*

Tolutānum, seu de Tolu, foliis ceratiæ similibus.

Balsamus arborem & fructum propriè denotat.

Balsamum succum seu lacrymam earundem significat.

BANILLI, lōrum, Vid. *Volubilis Siliquosa, &c.*

BARDĀNA, dānæ, seu Vulgāris, folio amplissimo, flore albo.

BELLIS, īdis, major sylvestris caule folioso, flore albo, ampliore, radiato, disco luteo.

BENZōE, ðes, Benzoinum, Vid. *Arbor Benzoinifera.*

BERBēRIS, bēris, Dumetōrum.

BETONiCA, īcæ, sylvestris, seu vulgarior flore purpureo.

BETÜLĀ, tūlæ, omnium Auctorum.

Báλσαμον.

Αρχεῖον.

Κέτερ.

Σημύδα.

BEZōAR Occidentālis, Vid. *Animal Bezoarticum.*

Orientālis, Vid. *Hircus Bezoarticus.*

B.

Balm of Gilead, or
the true Balsam.

Balsamum.

Balsam of Peru.

Balsamum.

Balsam of Tolu.

Balsamum.

Syrupus Balsamic.

The Great Bur-
dock.

Folia, Radices.

The Great Wild
Or-epe Daisie:

Flores, Folia.

Berberp Bush.

Cortex, Fructus.

Fructus Muriâ
conditi.

Common Betony.

Folia, Flores.

Empl. de Beto-
nicâ.

The Birch, or
Birk Tree.

*Succus seu La-
cryma, tempore ver-
no, prolectus.*

BISTORTA, *tortæ*, major, vulgaris, radice minus intortâ.

BOLUS Armēna, seu Armeniāca.

BOMBYX, *bycis*.

Bωλ. Ζ.
Βομβύξ.

Bonus Henricus Officinarum.

BORAGO, *ginis*, hortensis, floribus cæruleis & albis.

BORAX, *acis*, Vid. *Tincar*, seu *Borax Nativa*.

BOSS, *Bovis*.

Ευρετίαν.

Βός.

BRASSICA, *sicæ*, Sativa, non Capitata, viridis.

Rubra, capitata.

BRYONIA, *næs*, alba, vulgaris, seu aspera, baccis rubris.

BUFO, *fōnis*.

Κερύβη.

Βρυωνία.

Φύσιλ. Ζ.

BUGLOSSA, *glossæ*, & Buglossum, *glossi*, angustifolium inajus, flore cœruleo.

BURSA, *bursæ*, pastoris, folio sinuato, major, capsulâ cordatâ.

Βέγλω.

Common

Common Bistort,
or Snake-weed.

Bole.

The Silk-worm.

English Mercury

Borage.

The Ox.

Colewoxr, Cole, or
Keele

Red Cabbage.

Byony.

The Toad.

Bugloss.

Shepherd's Purse.

Radix.

Terra quædam.

Sericum Crudum,
Folliculi Sericei.

Herba.

Flores.

Lapis è felle bovillo,
stercus bubulum,
Sevum Bovinum,
ossa artuum, Fel.

Folia recentia.

Folia.

Radix.

Animal integrum.

Flores.

Herba, cum Semi-
nibus.

Ewpl. è bolo.

Spiritus, Oleum,
Sal Volatile.

Mel Mercurialis.

Oleum è pedibus bovi-
nis.

Aqua Composita, seu
Hysterica.

Combustum, unde *Pul-*
vis Æthiopicus.

C.

CACAO, Vid. Arbor Cacavifera.

CAFFE, Vid. Arbor Arabica, &c.

CALAMINARIS, Vid. Lapis Calamini-

naris.

CALAMINTHA, mintha, montana, seu
Vulgaris flore magno.

CALAMUS, lami, aromaticus offic. foliis
Iridis, seu Xyphii.

CALENDULA, dulce, vulgaris, flore
simplici & duplici.

CAMPHORA, Vid. Arbor Camphorifera.

CANCER, Cancri, Marinus.

CANELLA alba. Vid. Arbor baccifera
laurifolia.

CANIS, Canis.

CANNABIS, nabis, Sativa, seu Mas &
Fœmina.

CANTHARIS, ridis.

CAPPARIS, pars, & pareos, Spinosa,
fructu minore, folio rotundo.

CAPER Mas, Capra Fœmina.

CAPILLUS Venēris verus.

CAPRIFOLIUM, li, non perfoliatum
Germanicum, seu vulgare.

CAPSICUM, Vid. Piper Indicum.

CARANNA, vel Caragna.

CARDAMOMUM, momi, majus Vulga-

Καλαμίθη.

Κάλαμος,

Χρυσίθεμον,

Καρπίς,

Κυωρ.

Κάνναβις.

Κάνθαρις.

Κάππαρις.

Τεγίς "Αιξ.

Κάψικον.

Κάρδαμονον.

C.

Common, or Mountain Calamint.	<i>Herba.</i>	
Aromatick Reed, or sweet smelling Flag.	<i>Radix.</i>	Radices Conditæ.
Common Marp-Gold.	<i>Flores.</i>	Aqua, Conserva.
The Crab.	<i>Ungulæ, seu Chelæ, apices chelarum nigrae.</i>	Pulv. & Chel. Cancr. comp.
A Dog.	<i>Stercus, Album Græcum, dictum.</i>	
Manured Hemp.	<i>Semen, Caulium filamenta post Maceratiōne m detracta unde.</i>	Linum, flax. Linteum attritum.
The Spanish Fly.	<i>Insectum.</i>	Empl. & pasta Episast.
The Caper-Tree, or Bush.	<i>Cortex Radicis, Fructus seu.</i>	Tinctura.
The Goat.	<i>Lac, serum.</i>	Gemmæ florum muriā conditæ.
True Maiden-hair.	<i>Herba integra.</i>	Syr. Capillorum Veneris.
Hony-Suckle, or Woodbind.	<i>Folia.</i>	
The Caranna Tree.	<i>Resina.</i>	
The greater Cardamom.	<i>Semina, in siliquis seu thecis triangulis inclusa.</i>	CAR-

CARDAMOMUM maximum officinarum.

Vid. *Grana Paradisi.*

Minus, simpliciter in officinis dictum.

CARDUUS, *dūi*, benedictus, foliis & capite Spinulis munito.

Stellatus, folio papaveris erratici, capite longis aculeis, stel latim nascentibus, armato.

CAREUM, *rēi*, *Officin.* seu Vulgare.

CARTHAMUS, *thāmi*, Sativus flore cro cō.

CARYOPHYLLATA, *lātæ*, flore parvo luteo, seu vulgaris.

CARYOPHILLUS, *philli*, aromaticus, Americanus, lauri acuminateis foliis, fructu orbiculari.

Aromaticus Indiæ orientalis fructu ob longo, seu Clavato, monopyrēno.

Hortensis, ruber, flore pleno majore.

Indiæ occidentalis, foliis & fructu rotundis.

CASSIA, *sīæ*, & Casia fistula Alexandrina,

Vid. *Arbor Cassiam Fistulam ferens.*

Lignea, Vid. *Arbor Canellifera Malabarica*, &c.

Sylvestris, Brasiliæ, seu Americana purgatrix.

CASSUMUNIAR, & Casinunar, Zedoariae Species habetur.

CASTOR, *tōris.*

Kάρησ.

Kάρεον.

Kύκλος.

Λαγοφθάλμος.

Καρυόφυλλον.

Κασία &

Κασσία.

Chatalbuic.

Nom. Mex.

Κατώρ.

Small Cardamoms, simply so called in the Shops.	<i>Semina.</i>	
Holy Thistle.	<i>Folia cum Capitibus,</i> <i>Semina.</i>	Aqua, Sal fixum.
Star Thistle.	<i>Flos, Semen.</i>	Aq. Florum calcitrapæ.
Caraways, or Car- ralwangs.	<i>Semina.</i>	Spiritus. Ol. Chym.
Bastard Saffron, or Safflower.	<i>Semina.</i>	
Avens, or Herb Bennet.	<i>Radix.</i>	
Jamaica Pepper, or All-spice Tree.	<i>Fructus, seu baccæ</i> Piper Jamaicense, vulgò.	
The Clove-Tree.	<i>Rudimentum fruc- tus, seu fructus im- maturus, Cloves, dict.</i>	Oleum Stillatitium.
Clove Tulipflower.	<i>Flores.</i>	Syrupus.
The Cloveberry Tree.	<i>Cortex, Caryophilla- tus, dictus.</i>	
West India Cas- sia.	<i>Fructus seu siliqua.</i>	Medulla, seu pulpa.
Cassumunar.	<i>Radix.</i>	
The Beaver.	<i>Glandulæ odoriferæ in inguinibus innatæ, in membrana conclu- ſæ, & liquore oleoso repletæ, Castoreum, dict. adeps.</i>	Spiritus, Tinctura, Oleum.

CENTAURĒUM, *rēi*, & Centaurīum, *rīi*,
minus vulgāre, seu parvum
flore purpureo & albo.

Κενταύρεον.

CEPA, *pæ*, Ascalonīca fissilis & sterīlis.
Hispanīca, oblongā radice, dulci.
Vulgāris, Capitāta, alba & rubra, radi-
ce rotundā, vel longā, purpurascen-
te flore.

Κεόμυνον.

CERĀSUS, *rāsi*, Sylvestris major, fructu
nigro subdulci.
Rubra, seu fructu rotundo, ru-
bro, Sativa.

Κέρασος.

Κέρασια.

CERVUS, *Cervi*.

Ἐλαφός.

CETUS, Vid Orca.

Χαμαιδρός.

CHAMÆDRYS, *dryos*, Vulgāris, seu
minor repens.

Χαμαιμηλόν.

CHAMÆMĒLŪM, *mēli*, nobile, flore
magno, seu Romānum &
odoratius, flore Multiplici.
Vulgāre, flore simplici &
minore.

CHAMÆPITIS, *tyos*, lutēa, vulgāris, seu
foliō trifido.

Χαμαιπίτιος.

CHELIDONIĀ, *nīæ*, seu Chelidonēum
majus vulgāre.

Χελιδόνιον.

Minor.

CHELÆ, *lārum*, vid. Cancer.CHERMES, vid. *Ilex aculeata cocciglan-*
difera, &c.CHINA Occidentalis, vid. *Smilax aspera Pe-*
ruviana.Orientalis, vid. *Smilax aspera Chinensis*, &c.CICĒR, *cēris*, Satīvum, Rubrum.

Ἐρέσιθός.

CICHORĒUM, *rēi*, Satīvum, Semine
rubro, vel nigro.

Κιχώρεον.

Centozp.

Summitates floridæ.

Eschallottes.
Spanish Onions.
Red and White
Onions.

The Black Cherry
Tree.
The Red Cherry
Tree.
The Hart.

Germander, or
English Triacle.
Chamomile.

Single Cham-
omile.
Ground Pine.

Great Celandine.

Small Celandine,
or Pilewort.

West-India, or
Jamaica China-root.
East-India China
root.

Chiches Pease, or
Chich.

Garden Succory.

Radix.
Radix.
Radix.

Fructus, Nuclei.
Fructus, Gummi,
Nuclei.

Cornua, Sevum.

Herba integra.

Flores, Herba flo-
rescens.

Flores, Herba vi-
ridis.

Herba.

Folia.

Radices.

Semina, seu Fruc-
tus.

Herba.

Aqua, & Spiritus, & Nu-
cleis.

Spirit. Ol. Sal. Vol.
C. C. C.

Aq. Cham. comp. Ol.
Chym. & per Infus.

Aqua simplex.

Syr. Cichor. cum Rhao.

CICHORIUM Silvestre, vel Agreste.

CICUTA, cūta, & Cicutaria major, vul-

garis.

Kóveor.

CIMOLIA, līa, alba.

Purpurascens.

Kipwālia ȝñ.

CINNAMOMUM, mōni, Vid. Arbor
Canellifera Zeylon: &c.

CINNABARIS, bāris, vel barēos, natī-

va, seu Metallica & fossilis.

Kuvāþær.

CISTUS & Cisthos, Ladanifera, Cypria,
seu Cistus Ledon, Cretense, ve-

rum, latifolium.

Kiðθꝝ, Kiçꝝ.

CITRÆA, vid. *Malus*.

CLEMATIS, tītis, & Clematitis, tīdis,

passionalis, Peruviana, folio bifido
vel tricuspidi, flore Roseo clavato.

Indica, foliis Persicæ, fructu
periclymени.

Kληματίς.

COCHLEA, lēa, terrestris, testacea, seu
edulis.

Kónaꝝ, ꝝ

Koχλια.

COCHINELLA & Coccinella, vid. *Fi-*

cus Indica.

COCHLEARIA, nīa, Britannica, seu
maritima, folio Sinuato.

Hortensis major, seu Batava,
Rotundifolia.

Kόναꝝ, ꝝ

Koχλια.

COLOCYNTHIS, īdis, & īdos, fructu

rotundo, minor, pulpâ fungosâ
levi & amarissimâ.

Kολοκυνθίσ.

COLUMBRINUM Lignum, vid. *Clemā-*

tis Indica.

COLUMBA, lumbæ.

Περισσε.

CONCHA Margaritifera.

CONYZA, nyzæ, major vulgaris.

Kóvuga.

Wild Succory.	<i>Radix.</i>	
Great Hemlocke.	<i>Herba, seu folia.</i>	Empl. è cicutâ cum Ammoniaco.
Fullers Earth.	<i>Terra quædam:</i>	
Tobacco-pipe-clay.	<i>Terra quædam.</i>	
Cinnabar.		Argentum vivum ex eâ excoquitur.
The Labdanum Shrub.	<i>Liquor è foliis ex-sudans, Labdanum, dictus.</i>	
Counter-popson.	<i>Radix Contrayerva, dicta.</i>	Pulvis Contrayerv. comp.
Snake-wood.	<i>Lignum Colubrinum, in Offic. dictum.</i>	
The Snail.	<i>Animal integrum, cum, vel sine Testâ.</i>	Aq. Limacum Magistris.
Cochinel.		
Sea Scurvy Grass.	<i>Herba florida.</i>	
Garden Scurvy Grass.	<i>Herba florescens.</i>	Spt. Simplex & purgans, Conserva.
Coloquintida, or the bitter Apple.	<i>Fructus, seu Pomum, pulpa levis, seu Caro. Semina.</i>	Trochisci Alhand.
The Dove.	<i>Fimus, seu Stercus, Avis viva per medianam dissecta.</i>	
Mother of Pearl.	<i>Concha, seu Testa, Margaritæ.</i>	
Plowmans Spick-nard.	<i>Folia.</i>	

CONTRAYERVA, Vid. *Clematis passiōnalis Peruviana*, &c.

CORRALINA, *linæ*, officinarum alba, seu **Kοραλλίνη**
fruticosa.

CORALLIUM, *lili*, & *Corallum, ralli*,
rubrum. **Kοραλλιον**
πυρρόν.

CORIANDRUM, *andri*, *Sativum*, seu **Kορελον.**
majus, *Vulgare*.

CORINTHIA CÆ uvæ, vid. *Vitis*.
Passulæ, Vid. *Vitis Corinthiaca*.

CORNUS, *corni*, Hortensis Mas, seu *Satīva*.

CORTEX Canella, seu *Cinnamomum dictus*, vid. *Arbor Canellifera Zeylonica*.

Caryophillatus, vid. *Caryophilus Aromaticus*, foliis & fructu rotundis.

Cassia lignea dictus, vid. *Arbor Canellifera Malabarica*.

Elaterii, vid. *Eleuthēræ cortex*.

Peruviānus, vid. *Arbor Febri-fūga*.

Winterānus, vid. *Arbor Laurifolia Magellanica*.

CO**S**TU**S**, *tæ*, Hortensis, seu *Hortorum Mas*. **Kοστός.**

CRETA, *tæ*, Alba, seu candida. **Κιμωλία γύρη**.

CRANIUM Hominis demortui, Vid.
bomo.

CROCUS, *ci*, *sativus Autumnalis*, foliis
angustis, gramineis, floribus
cæruleis, radice bulbosâ. **Κρόκος.**

Coraline.	Integra Planta.	
Red Coral.	Integra Planta.	Elect. Diacorallion.
Coriander.	Semen.	
The Cornelian and Cherry Dog-tree.	Fructus, seu Co- ma.	Syrupus, seu Rob.
Cost Marp.	Folia.	
Chalk.	Terræ species.	Calx lota, viva & ex- tincta,
The true Saffron.	Pistilla florum ter- na quaternavè, co- lore flammeo subru- bentia, Crocus vul- gò dicta.	Tinetur. Syrup. extr. Empl. Oxicroc.

CUBĒBÆ, *bārum*, Vulgāres, vid. *Arbor bacifera Brasiliensis*.

CUCŪMER, *mēris*, & *cūcūmis*, *cūmis*, agrestis, *Afininus*, & *Sylvestris*.

CUMINUM, *mīni*, Semīne longiōre, seu Satīvum *Dioscoridis*.

CUPRESSUS, *pressūs*, & *pressī*, vulgāris, *fativa* & *sylvestris*.

CUPRUM.

Σίκυς ἄγειρος.

Kύμινον.

Kυπάρισσος.

Καλκός.

CURCŪMA, *cūmæ*, officinārum, radice crocēa, longā, & rotundā.

CYĀNUS, *ăni*, Segētum, seu minor, flore cærulēo.

CYDONĒA, vid. *Malus*.

CYNOGLOSSA, *glossæ*, & *Cynoglossum*, *glossi*, *majus vulgāre*.

CYNOSBĀTOS, *bāti*, vel *rubus canīnus*, vid. *Rosa canīna*.

CYPĒRUS, *pēri*, longus, odorātus, seu radice longā officinarum.

Rotundus Orientālis major, seu *Syriācus*.

CYTISUS, *tīsi*, *Canariensis*, *incāna*, *filīquis falcātis*.

Κυνόγλωσσον.

Κυνόσβατον.

Κύπερος, Κύπερος.

Κύτιος.

Wild Cucumber.	<i>Fructus.</i>	
Cumin.	<i>Semen.</i>	
The Cypress Tree.	<i>Coni, seu Nuces.</i>	
Copper.	<i>Æs, Brass, Æs viride, seu Ærugo, Verdigrise Pomphol</i>	<i>Ungt. Diapompholigos.</i>
Turmeric.	<i>Radix.</i>	
Blue Bottle.	<i>Herba cum flori- bus.</i>	
Hounds Tongue.	<i>Radix.</i>	<i>Pill. à Cynoglossa.</i>
Long Cpperus, or English Galangal.	<i>Radix.</i>	
Round-rooted Cy- perus.	<i>Radix.</i>	
Rhodium, or Rose- wood.	<i>Lignum, Rhodium, dictum.</i>	<i>Ol. Chymicum.</i>

D.

D A C T Y L U S, *tīli*, vid. *Palma* cuius est
Fructus.

D A U C U S, *ci*, Nostras, vulgāris & Offici-
nārum.

D E N S, *dentis*, Leonis, latiōri folio, seu
vulgāris.

D I C T A M N U S, *tanni*, Creticus, seu
Cretensis verus.

Albus, seu vulgāris.

Falsus, odōrus, Creticus, Ver-
ticillātus.

D I G I T ā L I S, *tālis*, Purpurēa, seu vul-
gāris folio aspero.

D R A C O Arbor, vid. *Arbor Draco*.

D R A C O N T ī U M, *tīi*, Majus, seu Dra-
contium vulgāre, caule ma-
culāto.

D R A C U N C ū L U S, *cūli*, seu *Draco*
Herba.

Δαύξη,

Ταξίξον.

Δικταυνός.

Δακτύλιος.

Δεκόντων.

D.

Wild Carrot, or
Bird's Nest.

Common Dande-
lion.

Dittany of Crete.

White Dittany, or
Fraxinella.

Bastard Dittany.
Fox-Glove.

Dragons.

Tarragon.

Semen.

Folia, Radices.

Folia cum floribus.

Radices.

Folia cum floribus.

Flores.

*Folia, Flores, & Sti-
pites.*

Folia.

Aqua, Unguentum.

F

E.

E.

EBÜLUS, *büli.*

Χαυγιάκην.

ELATINE, *tines,* Folio acuminato, vel
vulgaris, folio piloso, subrotundo.

'Ελατίνη.

ELMI & Elemni, vid. Arbor G. *Elemi fun-*
*dens.*ELPHAS, *phantis.*

'Ελέφας.

ELEUTHÉRÆ Cortex.

ELLEBORUS, & Elleborum, *böri,* al-
bus, vulgāris, flore subviridi.
Niger, seu verus, flore rosēo.'Ελέβορος.
λευκός.'Ελέβορος.
μέλας.
Σέρις.ENDIVIA, *vīa,* Vulgāris, latifolia, seu sa-
tiva.

'Επίδυμος.

EPITHYMIUM, *īmi,* Græcōrum & A-
rābum.

'Ιππυχίος.

EQUISĒTUM, *sēti,* Palustre, majus, lon-
gioribus setis.EQUUS, *Equi.*

'Ιππός.

ERŪCA, *Erūcæ,* latifolia, alba Dioscorid.
seu major, flore albo.

'Ευωμόν.

ERYNGIUM, *gīi,* Maritimum, folio du-
ro, in lacinias diviso, & spi-
nulis albis armato.

'Ηρύγιον.

ERYSIMUM, *sīmi,* Vulgāre, flosculis lu-
teis.

'Ερυσμόν.

ESULÆ Indicæ, *Bontii,* Arbor similis.

'Εσγλα.

EUPHORBIUM, *bīi,* vid. *Tithymālus*
Mauritanicus, &c.

'Ευφόρβιον.

EUPHRAGIA, *gīa,* Alba Officinarum.

'Ευφραγίη.

EXUVIÆ, *ārum,* Serpentis & Vipēræ, vid.
Vipēra, &c.

E.

Danewort, or
Dwarfe Elder.

Fluellin, or Fe-
male Speedwell.

The Elephant.

The Indian Bark

White Elleboze.

Black Elleboze.

Garden Endive.

Dodder of Thyme.

Horse-tail.

The Horse.

Rocket.

Sea-Holly, or E-
ringo.

Hedge Mustard.

Indian Spurge.

Eyebright.

*Folia, Cortex inter-
ior.*

Folia.

*Dentes bini, Ivory,
dicti, & Ebur.*

*Cortex arboris cu-
jusdam non descriptæ.*

Radix.

Radix.

Folia.

Tota Herba.

*Caules, cum foliis
setaceis.*

*Lichenes, Stercus,
seu firmitas Equinus.*

Herba, Semen.

Radix.

Herba, Semen.

*Succus concretus,
Cambogium dictus.*

Herba florescens.

Mel Elatines.

Empl. & Gum. Elemi.

Ex Insulâ *Eleutheria*
dicta, Bahamensis unâ.

Tinct. Hellebore Emmen-
agog. & Tinct. melanpo-
diis.

Radices conditæ.

Pil. de Guttâ Gaman-
drâ.

Aqua simplex.

F.

FABA, <i>bæ</i> , Hortensis, major, flore candido, & litūris nigris conspicua.	Kύαρξ.
FEL Bovinum, vid. Bos.	
FERRUM nativum, seu Minera Ferri.	Σιδήρος.
FERULA, <i>rūlæ</i> , Ammonicifera.	Αμυωνίχνον.
Femīna Galbanifera, fruticōsa, seimper-virens, foliis Anīsi. Major, folio fenicūli, Semīne la- tiōre.	Νάρδης γαλ- βανη. Σαγαπίνον.
FICŪS, <i>Ficūs</i> , Hispanīca, seu communis, major, satīva, fructu albo.	Συκη, σύκων.
Indīca major, levis, folio rotundiore, Spinūlis obtusis, fructu rubro, Spi- nōso, Vermicūlos, quos Coccinel vocant, profērens.	
FILIPE NDŪLA, <i>dūlæ</i> , Vulgāris.	Οινάρδη.
FILIX, <i>līcis</i> , Florīda, seu Ramōsa, non den- tata, floribus insignis.	Πτέρησ, Φ.
Peregrīna, seu exotica.	πτέρερα.
FLOS, Solis major, seu Chrysanthēmum In- dicum, flore omnium maximo.	
FOENICŪLUM, <i>cūli</i> , Dulce, majōre & albo Semine.	
Vulgāre, Germanīcum, & Anglicum, Semīne nigro.	Μαραθερα.

F.

The Great Garden Bean.	<i>Fructus, Flores, Siliquæ.</i>	Farina, Aq. florum.
Iron.		Tinctur. Sal. Croc. Martis Aperit. & astring. chalybs cum ♀, & Tar. Syrup. chalyb.
The Gum Ammoniack Tree.	<i>Gummi resina, Ammoniacum, dict.</i>	Empl. Pill. Iac.
The Galbanum Tree.	<i>Gum. resina, Galbanum, dict.</i>	Tinctur. Lac. Empl. Galbanetum.
The Sagapen Tree.	<i>Gum. resina, Sagapenum, dict.</i>	
The Fig Tree.	<i>Fructus.</i>	Ficus aridi.
The Cochinel Tree.	<i>Insectum quoddam in Surculis bujus Arboris, Nopal Nocheztli, ab Indicis appellatum.</i>	
Dropwort.	<i>Radix.</i>	
Osmund Nopal, or Flowering Fern.		
The Fern that bears the Golden, or Indian Moss.	<i>Muscus aureus, Pocoempie, dictus Radici adnascens.</i>	
Sun-Flower.	<i>Semen.</i>	Ol. è Semiaibus express.
Sweet Fennel.	<i>Semen, Herba.</i>	Aq. Oleum è Seminibus.
Common Fennel.	<i>Radix, Herba, Semen.</i>	Aq. Oleum è Seminibus.

FŒNUM GRÆCUM, *Fœnigræci*, Herbariorum & sativum, flore albo.

Tῆλις, Βάκερος, Ὀνυχάνης.

FOLLICULI, *lōrum*, Bombycum, vid. *Bombyx*.

FORMICA, *mīca*.

Μόρμηξ.

FRAGARIA, *rīæ*, Vulgaris, fructu rubro & albo.

Κόκκινος.

FRACTIONUS, *iñi*, Excelsior, seu Vulgatior.

Μελία.

Humilior, rotundiore, & tenuiore folio.

FRUMENTUM Amylēum.

"Αμυλον:

FRUTEX convolvulacēus Javanensis, vid. *Arbor baccifera Brasil.* &c.

Sarmentōsus piperifērus, vid. *Arbor Piperifera*.

FUNGUS Rotundus, orbicularis, seu pulverulentus.

Fenugrek.

Semen.

The Ant.

*Insectum integrum,
Ova.*

The Strawberry.

*Radix, Folia, Fru-
tus, Fragum dictus.*

The Ash Tree.

Semen, Lignum.

The Dwarf Ash,
or Callabrian Man-
na Tree.

*Succus, Sole con-
densatus, Manna dic-
tus.*

Starch Corn.

*Fructus, seu Gra-
na.*

Cubebgs.

Puff Balls, or
dusty Rhizome.

Planta integra.

Sal fixum.

Elect. Diacassia cum
Manna.

Fæculæ, unde paratur
Amylum, White Starch.

G.

GALANGA, *langæ*, major.

Minor

GALBANUM, *bāni*, vid. *Ferula Galbanifera*.

Χαλβάνη.

GALÉGA, *lēgæ*, *Vulgāris*, flore albo & cæruleo,

GALLA, *Gallæ*, vid. *Quercus Gallifera*.

GALLINA, *linæ*.

GALLUS, *Gallinacēus*.

GAMBOGIUM, *gūi*, vid. *Esula Indica*.

Σπάρπον.

GENISTA, *nīstæ*, *vulgāris*, *fruticōsa*, non
spinosæ, *scoparia*.

GENTIANA, *ānæ*, Major, *lutēa*, seu *vulgāris*, *Ellebōri albi folio*.

Γενκανή.

GENTIANELLA, *nellæ*, *Autumnālis*,
foliis *Centaurii minōris*, flore
dilutè purpurascente & cæruleo.

GERANIUM, *nīi*, *Robertiānum*, *murāle*,
flore dilutè rubello.

Γεράνιον.

GLANS, *Glandis*, *Quercīna*, vid. *Quercus*.

Γλυκύρριζα.

GLYCYRRHIZA, *rbizæ*, *Siliquōsa*, seu
vulgāris *Anglica*, radice
longâ repente.

GNAPHALIUM, *līi*, *Vulgāre majus*.

Γραφαλίον.

GOSSIPIUM, *pīi*, *Frutescens*, seu *herba-*
cēum, *Semine nigro*.

Γοστίπιον.

G.

Great Galangal.	<i>Radix.</i>	
Small Galangal.	<i>Radix.</i>	
Goats Rue.	<i>Herba florida.</i>	
The Hen.	<i>Pinguedo, intestin. ovi album, vitel. tes- ta, ovum integrum, ventriculi membrana interior.</i>	Testæ Calcin. Ol. Vi- tell. ovor.
The Cock.		
Common Broom.	<i>Gemmæ flor. Ra- musculi.</i>	Flores conditi. Sal. fix- um.
Gentian.	<i>Radix.</i>	Aq. Gentian. Comp. extraestum.
Small Balsard Gentian.	<i>Herba florida.</i>	
Herb Robert.	<i>Herba.</i>	
Common Liquorice.	<i>Radix.</i>	Succus expressus, Angli- cus & Hispan. Syrupus.
The Common great Cudweed.	<i>Folia.</i>	
The Cotton Tree.	<i>Lanugo in fila duc- tilis, Gossipium, dic- ta, Semina.</i>	

G

G R A-

G R A M E N, *mīnis*, Canīnum, arvense, repens, seu Graimen Dioscoridis.

Kυνόγραψις.

G R A N A, *norum*, Paradīsi Officinar.

G R A N Ā T A, vid. *Malus Granāta*.

G R O S S U L A R I A, *rīæ*, Vulgāris, spinōfa, seu satīva, fructu rubro & albo.

G U A J ā C U M, vid. *Lignum*.

G U M M I Ammoniacum, vid. *Ferūla Ammonicifera*.

Arabicum, vid. *Spina Ægyptiaca*.

Senēga, vel Senīca, Guineēnsis, Gummi Arabico non diffimile.

H.

H Æ M A T I T E S, *tītæ, tītis*; vel Hæmatites, *tītis, tīdis*.

Αιματίτης.

H A L E C, *ēcis*, & Halex, *ēcis*.

H E D ē R A, *dēræ*, Arborēa, seu Corymbifera, scandens.

Κιάρα.

Terrestris vulgāris & humiliis.

Χαμαίνιος Θα.

H E L E N I U M, *nīi*, Vulgāre, flore luteo, radiato.

Ἐλένιον.

H E R N I A R I A, *rīæ*, vulgāris, Glabra.

H I B E R N I C U S, *nīci*, vid. *Lapis Hibernicus*.

Dog-Grass.

Radix.

Grains of Para-
dise, Guinea Grains,
and Grains.

*Semina, seu Gra-
na angulosa.*

The Gooseberry-
Bush.

Folia.

Gum Senica.

*Succus, seu la-
bryma condensata.*

H.

Blood-stone.

The Herring.

Muriâ infectum.

The Ivy Tree.

*Animal integrum
Semina, seu Bac-
cæ.*

Ground Ivy.

Herba florida.

*Syrpus. Cerevisia, Gill-
ste, dieta.*

Elecampane.

Radix.

*Radices conditæ, Ungt,
Enulatum, cum, vel sine
♀ io.*

Rupturewort.

*Folia, seu Herba
integra.*

H I R C U S, *ci*, & Caper, *pri*, Bezoarticus.

H O M O, *mīnis.*

"Αὐθωπίς.

H O R D ē U M, *dēi*, Distichon.

Κειδή.

Polystichon, hibernum.

H O R M I N U M, *mīni*, sativum, seu vul-
gāre, floribus cæruleis.

"Ορμινον.

H U S O, *sōnis*, Piscis, *Ichthyocolla*, dictus.

'Ιχθυόκολλα.

H Y O S C Y ā M U S, *āmī*, major, seu albus.

"Υσκύαμ.

Vulgāris, seu niger.

H Y P E R I C U M, *rīci*, Vulgāre, foliis, gla-
bris & quasi perforatis.

"Υπερικόν.

H Y S S ō P U S, *sōpi*, Angustifolius, spicatus,
flore cæruleo.

"Υσσωπόν.

The Bezoar Goat.	<i>Lapis in Ventri- culo repertus, Bezoar, dictus.</i>	
A Man or Wo- man.	<i>Sanguis, Pinguedo, urina, ossa, saliva, lac.</i>	Sal. Vol. Sanguinis, Os: Cranii calcinat.
Common Barley.	<i>Semina, seu Gra- na.</i>	Farina, Cerevisia, Flos ejusd. acetum, Spiritus ar- dens, Semen Cortice nu- datum, unde hordeum Gal- licum & perlatum Maltum, Aqua hordei, Sacchar. hor- deatum.
Common Winter Barley, or bear Barley.	<i>Semina.</i>	
Garden Clary.	<i>Herba florida.</i>	Spiritus.
The Flieg-glass Fish.	<i>Corium, intestina, ventriculus pinnæ, &c.</i>	Gluten ex visceribus pa- ratum, Ichthyocolla, dict.
The greater White Henbane.	<i>Semen.</i>	
Black Henbane.	<i>Folia, Radix.</i>	
St. John's Wort.	<i>Flores.</i>	Balsamum, Oleum.
Hyslop.	<i>Herba florida, vel folia cum spicis.</i>	Aq. simplex, Ol. Chymic.

I.

J A L A P P A & Jalapium, Officin. fructu rugoso, vid. Mirabilis. Peru-viana, flore vario.

J A P O N I C A terra, vid. Palma Arecifera.

J A S M I N U M, mini, Arabicum, Castanææ folio, flore albo, odoratissimo, cuius fructus, seu baccae, Coffee, in Officinis, dicuntur.

I C T H Y O C O L L A, vid. Huso.

I L E X, licus, Aculeata, Cocci-Glandifera, seu Cocygæra, folio Querno minore.

I M P E R A T O R I A, riae, Major vulgaris.

I P E C A C U A N H A, anba.

Ορειτον.

I R I S, reos, idis, & idos, Alba, florentina, seu Illyrica, flore albo.

Nostras, seu purpuræa, vulgaris, & domestica.

J U G L A N S, glandis.

"Iris.

Καρύα βασιλικά.

J U J U B A, juba, Indica, rotundifolia; seu spinosa, foliis majoribus subtus incanis.

J U N I P E R U S, peri, Vulgaris, fruticosa, & Arborescens, Baccis parvis, purpuréis.

"Αρκευθός.

I.

The Coffee Tree.

Scarlet Oak.

Master-Wort.

The Vomiting-root
from Brazil.

Florentine Orris.

Common purple
Flower De-luce.

The Walnut-tree.

The Gum Lacca
Tree.

The Juniper Tree

*Grana excrementi-
tia (seu potius nidi
insectorum) Chermes,
dicta.*

Radix.

*Radix alba & fus-
ca, nigra, vulgo.*

Radix.

Radix.

*Putamina viridum
nucum externa, nux,
seu fructus, Kápuor,
dicta.*

*Gummi, Lacca,
dicta.*

Grana, seu Baccæ.

Confectio Alkermes,
Succus, vel Syrupus.

Succus è radice expre-
fus.

Lacca in Glebis est quod
Compositum.

Ol. Spiritus & Aqua.

K.

KALI majus cochleato Semine, folio sedi medii.

Kali, Nom. Ar.

KERMES, vid. *Ilex coccigera*.

KINA, *Kina*, vid. *Cortex Peruvianus*.

L.

LABDANUM, *dani*, & Ladānum, vid.
Cistus Ladanifer.

Θειδαξ
ἀγεία.
Γαλιόψιο.

LACCA, *laccæ*, Arābum, vid. *Fujūba Indica*.

LACTŪCA, *tūcæ*, Sylvestris, major, odore opii, & succo virōso.

LAMIUM, *mii*, Album, vulgare, seu candidum, non fœtens, folio oblongo, flore purpurascente, vel albo.

LAPATHUM, *pāthi*, Aquaticum, maximum, folio Cubitāli, seu Longifolium, palustre, nigrum.

Λάπαθον.

Hortense, latifolium, amplissimum, pediculo crasso, rübente, striato, flosculis albis, Saporis subacidi, seu Rhaphonticum *Alpini*, verum.

Longifolium, crispātum, caule præalto ac rubescente.

K.

Glass-Wort, or
Salt-wort.

Herba.

Cineres ex quibus Sal
fixum, Soda, seu Cineres
Clavellati: Sephy lixi-
vium, Sapo niger, com-
munis, Venetus, Castilien-
sis, lapis infernalis.

L.

Wild Lettuce.

Folia.

Dead Nettle, or
white Arch-angel.

Herba florida,
Flores.

Great water Dock.

Radix.

True Raphontick,
or English Rhubarb.

Radix.

Garden Patience,
or True Monks
Rhubarb.

Radix.

LAPÄTHUM, *päthi*, Rotundifolium, magnum, vulgare, fimbriatum. Sativum, sanguineum, seu folio acuto rubente.

'Οξυλάμαδη.

Sylvestre, folio acuto plano, seu lapathum acutum major.

Folio obtuso, seu vulgare folio subrotundo.

Στυπτεία.

LAPIS, *pīdis*, Aluminōsus, prædurus, & subruber, ex quo extrahitur Alumen Rochæ, seu Romanum.

Bezōar, vid. *Animal Bezoart.* & *Hircus Bezoart.*

Calaminaris.

Calcarius.

Hybernicus.

Sulphurēus, ex quo Sulphur excutitur.

Vitriolicus, ex quo, &c.

LARDUM, vid. *Porcus.*LARIX, *rīcis*, Folio deciduo, conifera.

Λάριξ.

LAVENDULA, *dūlæ*, Angustifolia minor.

Latifolia, seu vulgaris, flore cœruleo & albo.

LAURUS, *Laurus*, & *Lauri*, Vulgaris major, latiori folio.

Δάφνη.

Zeylanicus, Baccis aculeatis, nucleo Quercino, cuius cortex *Cinnamomum*, Offic. dicitur, vid. Arbor, &c.

Materiæ Medicæ Index.

52

Bassard Rhubarb.

Red Dock, or
Blood-wort.

Wild Sharp-poin-
ted Dock.

The most broad-leav'd
common wild Dock.

Allom Stone.

Calaminar Stone.

Lime Stone.

Irish Slate.

The Larch Tree.

Lavender Spike,
or narrow Leav'd
Lavender.

Broad-leaved La-
vender.

The Laurel, or
Bay Tree.

Radix.

Radix & Folia.

Radix.

*Ex Lapidibus ustis,
additâ urinâ & Ka-
li, extrabitur Alu-
men Anglicum seu
commune.*

*Resina liquida,
Terebinth. Veneta,
vulgò.*

Folia.

Folia, Flores.

*Folia, Baccae, seu
Nuclei.*

H. 2

Ungt. ex Oxylapatho.

Aqua Aluminosa.
Alumen ustum.

Emplast. è Lapide Cala-
minari.

Calx viva, & extincta, lo-
ta, Aqua, Lixivium, Ungt.

Oleum Spicæ, in Italia
& Gallia destillatum.

Spt. Lavend. Comp. Ol.
Chym.

Empl. Electuar.
Ol. Laurin.

LE M

L E M N I A, Terra.

L E N T I S C U S, *tisci*, Vulgāris, seu vera
ex Insula Chio.

L E P I D Ù M, *dii*, Latifolium, vulgāre.

L E P U S, *Lepōris*.

LEUCOIUM, *ii*, Luteūm, seu vulgāre,
Flore simplici lutēo.

LEVISTICUM, *tici*, Vulgāre apii fo-
liis.

L I C H E N, *chēnis*, Terrestris, cinerēus.

L I G N U M Colubrīnum, vid. *Clemātis In-*
dīca.

Guajācum, magna matrīce, & sine
matrīce.

Rhodium, vid. *Cytīsus Canari-*
ensis.

Sanctum Guajāco est albidius, à
quo Specie differt, non genere.

L I L Ù M, *līi*, Album, flore erecto, seu vul-
gare, caule simplici.

Convallium, flore albo.

L I M A S, vid. *Limon sylvestris*.

L I M O N, vid. *Malus Limonia*.

L I N A R Ù A, *rīæ*, Vulgāris, lutēa, flore ma-
jore.

L I N G U A Cervīna, Vulgāris, sine caule,
& foliis integrīs, longis.

L I N U M, *Lini*, Satīvum, floribus cæruleis,
speciōfīs, caule tenui.

Cathartīcum, Sylvestre, seu pratense,
floscūlis exiguis albīs.

Σχινός.

Λεπίδων.

Λαγώπη.

Λευκήσιον.

Λειχήν.

Λείειον, Κείειον.

"Οσύεις.

Φυλλίκσ.

Λέρον.

Lemnian Earth.		Trochisc. de Ter. Lemn.
The Mastick, or Tentisk Tree.	Gummi, seu Resina, Mastiche, dictum. <i>Folia.</i>	Pilule Mastichinæ. Empl. & Ungt. Mast.
Dittander, or Pepper Wort.	<i>Pili mollissimi.</i> <i>Flores.</i>	Oleum per Infusionem.
The Hare.		
Wall Flower.		
Common Lovage.	<i>Rad. Fol. Semen.</i>	
Ash-coloured ground Liver-wort.	<i>Planta integra.</i>	Pulvis antilyssus.
Pock-wood.	<i>Lignum, Cortex, Re-</i> <i>sina nativa.</i>	
Holy Wood.		
The White Lilly.	<i>Flores, Radices.</i>	Oleum per Infus. Un- guent.
Lilly of the Valley.	<i>Flores, Folia.</i>	
Toad Flax.	<i>Herba cum cauli- culis.</i>	Unguentum.
Harts Tongue.	<i>Folia.</i>	
Flax.	<i>Semina, cortices,</i> seu filamenta cau- lium.	Farina, Oleum, Lin- teum, Stupa.
Mill Mountain.	<i>Herba integra, cum</i> caulibus & cymis floridis.	LI

LITHOSPERMUM, *spermi*, Majus erectum.

Λιθόσπερμον.

LUJULIA, *jūlæ*, Vulgaris, flore albo, & purpureo-
rascente.

LUMBRICUS, *brīci*, Terrestris.

"Ελμίν,

LUPULUS, *pūli*, Mas & Fœmina, Sativus & Sylvestris.

Βρύον.

M.

MACIS, *macis & cīdis*, Indorum, seu Officinarum, vid. Arbor Nucifera.

Μα'κις.

MAJORANA, *rānæ*, Vulgaris, latifolia
& Æstiva.

MALVA, *væ*, Vulgaris, flore majore, seu Sylvestris, flore sinuato.

Μαλάχη.

MALUM Armeniacum, *ăci*.

Μῆλον ἄριν-

γιακον.

Χρυσόμηλον.

Aurantium, *tīi*, Hispanense, seu Succo acido.

Sylvestre & Immaturum.
Citréum, *trīi*, vel trēi.

Μηδιγίο.

Cydonium, *nēi*.

Κυδῶνος.

Granatum, *nāti*, Succo acido.
Limonium, *nīi*.

Ποιά. Ο Ποδή.
Λιμώνιον.

Gromwell.

Semen, Milium
Solis, dictum.
Folia.

Conserua foliorum.

The Worm.

Integri Siccati.

Ol. Lumbricorum.

Hops.

Flores, Germina,
seu Turiones.

M.

Mace.

Involucrum reti-
culare, Macis, dic-
tum, quod putamen
lignosum, Nucleum
Moschatum conti-
nens, immediate in-
vestit.

Ol. Mac. Chym.

Sweet Marjoram.

Herba florida.

Ol. Chymicum.
Aqua simplex.

Common Mal-
lows.

Folia, Radix, flor.

Conserua flor.

An Apricock.

Nuclei fructuum.

Potus, Ratafia, vulgo
dictus.

An Orange.

Sem. Succus, Cor-
tex interior, & ex-
terior, seu Flavedo

Conserua flaved. Auran-
tiorum. Syrup.

A wild Orange.

Cortex.

Cort. condit. Syr. &
Cort.

A Citron.

Succus, Cortex ex-
terior.

Syrupus, miva, seu Gela-
tina cydon.

A Quince.

Cortex, Succus,
Semen.

Syrupus.
Syrupus Limonum.

A Pomegranate.

Cortex, Succus.

A Lemon.

Cortex, Succus.

M A L U M Limonium Agreste, seu Americum, Succo maximè acido.

Persicum, *sīci.*

Sativum, seu pomum redolens.

Sylvestre, album & rubrum, Succo valde acerbo.

Περσικόν.

Μῆλον.

Μῆλον ἄγελον.

M A L U S Armeniaca major.

Aurantia, Vulgaris, seu Sativa.

Sylvestris.

Μηλέα Ἀρμενιακή.

Χρυσόμηλά.

Citræa.

Cydonæa vulgaris.

Granata sativa, Flore simplici

Μηδική.

Κυδόνια.

Ποτα, Ο ποτα.

Sylvestris major, seu Balauſtioñ, Flore pleno.

Limonia acida.

Sylvestris Americana.

Persica.

Sativa, seu hortensis, vulgatior.

Sylvestris, fructu acido.

Λιμωνια.

Περσική.

Μῆλεα.

Μῆλεα ἄγελα.

M A N N A, *næ*, Calabrina, Calabrica, & Calabriensis, vid. *Fraxinus humilior*.

M A R G A R I T A, *rītæ*, Occidentalis, Scottica, Wallica, & Orientalis.

M A R C H A S I T A, *sītæ*, e quâ vitriolum conficitur.

M A R U M, *māri*, Syriacum, vel Creticum, foliis serpilli lanceolatis, odore acri, volatili.

Μαρέα.

A Lime.	<i>Succus, Lime-Juice, dictus.</i>	
A Peach.	<i>Nuclei.</i>	
An Aple.	<i>Cortex exterior.</i>	
A Crab Aple.	<i>Succus.</i>	Pomaceum, Ung. pomatum, Syrup. è pomis.
The Apricock Tree.	<i>Succus, Agresta, dictus, i. e. English Verjuice.</i>	
The Orange Tree.	<i>Fructus.</i>	
The Wild Orange Tree.	<i>Flores, Fructus.</i>	Aq. Naphæ, seu Flor. aurantiorum.
The Citron Tree.	<i>Fructus.</i>	
The Quince Tree.	<i>Fructus.</i>	
The Pomegranate Tree.	<i>Fructus, flores Cy-tini, dicti.</i>	
The Balaustian Tree.	<i>Flores, sen Balau-stia.</i>	
The Limon Tree.	<i>Fructus.</i>	
The Lime Tree.	<i>Fructus.</i>	
The Peach Tree.	<i>Flores, Fructus.</i>	Syrup. è Flor. Persicæ,
The Aple Tree.	<i>Fructus.</i>	
The Wilding, or Crab Tree.	<i>Fructus.</i>	
A Pearle.		
Mastich Thyme.	<i>Folia cum floribus, & caulinulis.</i>	

MARRUBIUM, *bii*, Album vulgare, foliis rugosis.

Περσίον.

MASTICHE, *tiches*, vid. *Lentiscus*.

Μασίχη.

MATER Perlārum & Unionum, vid. *Concha Margaritifera*.

MATRICARIA, *rīa*, Vulgaris, seu sativa, flore simplici.

ΑμαρείνΩ,
παρθενίον.
Michuacanica, Nom. Mexic.

MECHOACANNA Alba Peruviana.

ΜελιλώτΩ.

MEL, *mellis*, Commune, vid. *Apis*.

Μελιφυλλον,
Μελισόφυλλον.

MELILOTUS, *lōti*, Vulgaris, flore luteo.

MELISSA, *līsse*, Vulgaris, seu Hortensis, odore Citri.

MENTHA, *thæ*, Aquatica, caule subrubente, seu palustris, folio oblongo.

Μίνθη, Ήδύση-

Hortensis, Verticillata, seu fusca Vulgaris, folio rotundiōri, flosculis purpureis.

Saxifraga, folio angustiore, Spicis brevibus, foliis habitioribus Menthae fuscae, pipēris sapore, acri & fervido.

Sativa, seu Angustifolia, spicata, folio longiore acuto.

MENTHASTRUM, *thastri*, Folio rugoso, rotundiōre, odore gravi.

MERCURIALIS, *alīs*, Anglicā, vid. *Bonus Henricus*.

Λινόξωτις ἐρμηνεύεται
Βοτανιον.

Femina, Testiculata, seu

Mas *Dioscorid. & Plinii*.

Mas, spicata, seu femina,
Dioscorid. & Plinii.

White Horehound.	<i>Planta florida.</i>	Syrup. de prassio.
Gum Mastick.		Ung. & Empl. Mastichinum.
Fever, or Featherfew.	<i>Herba florida.</i>	
Mechoacan.	<i>Radix.</i>	Pilulæ Mechoacannæ.
Melilot.	<i>Planta florescens.</i>	Empl. simplex & compositum.
Baume.	<i>Folia, cum floribus.</i>	Aqua, Spiritus.
Water Mint.	<i>Folia.</i>	
Red Mint.	<i>Folia, cum floribus.</i>	Aqua simplex. Ol. stillat. Spt. Syrup.
Pepper Mint.	<i>Folia.</i>	Aqua distillata.
Garden, or Spear-mint.	<i>Folia.</i>	Aqua, Ol. Chym. Spir.
Horse, or Wild Mint.	<i>Folia.</i>	
French Mercurp.	<i>Folia cum Seminibus & caulinis.</i>	

MILIUM, *lli*, Solis, vid. *Lithospermum*.

MILLE-FOLIUM, *lli*, Vulgāre, flore
albo

Purpurēum majus,
seu fiore rubro

MILLē-PES, *pēdis*, & Mille-pēda, *pē-
dæ*.

MIRABILIS Peruana, Flore vario, Cu-
jus Radix duarum drachma-
rum pondere egregiè Aquas
educit. Hern. pag. 280.

MORUS, *ri*, Nigra, seu Vulgāris, Fructu
nigro.

MOSCHUS, *chi*, vid. *Animal Moschi-
ferum*.

MOSCHĀTA, vid. *Arbor Nucifera*.

MOXA, vid. *Artemisia Chinensis*.

MUSCUS, *Musci*, Pixidātus, seu Pixiodes,
terrestris & faxatilis.

MYRRHA, *Myrrha*, Trogloditica Diosco-
ridis.

MYRTUS, *Myrti*, Commūnis, Italīca, fo-
liis acutissimis.

Arborēa, foliis laurinis, Aroma-
tica, ex quā Piper Jamaicense,
vid. *Caryophyllus Aromaticus
Americanus*, &c.

Μεγίφυλλον.

Χιλιόπτες.

De Tlaquelin.
Nom. Mexioc.

Μορέα.

Μοσχός.

Μοσχός Βρύ-
ον.

Μυρρά.

Μυρσίνη.

White Yarrow.	<i>Herba florida.</i>	
Purple Yarrow.	<i>Herba florescens.</i>	
Wood-Lice.	<i>Insecta viva & sicata.</i>	Sal Volatile.
The Marvel of Peru.	<i>Radix, Jalapium, vulgò dicta.</i>	Resina, Tinctura.
The Mulberry Tree.	<i>Fructus, Morum, dictus.</i>	Syrupus è Moris, mel mororum.
Cupmoss, Chin- cups.	<i>Planta integra.</i>	Syrupus.
Myrrh.	<i>Resina.</i>	Tinct. Trochisci, OL per deliquium.
The Myrtle Tree.	<i>Baccæ, Myrtilli, dicti.</i>	Syr. Myrtinus.

N.

N A R D U M & Nardus, *Nardi*, Indica Vul-
gāris.
Celticum Dioscoridis.

Náρδος.

Náρδος Κελ-
τική.

N A S T U R T I U M, *tii*, Aquaticum, su-
pīnum, seu vulgare flo-
re albo.
Hortense, vulgatum, te-
nuiter divisum
Verrucōsum, seu Verru-
carium,

Κάρδαμον.

Κάρδαμον.

N E P ē T A, *pētæ*, Vulgaris, major.

N I C O T I ā N A, *ānæ*, Major, Latifolia,
seu Virgineāna, folio nunc
lātiōri, nunc angustiōri,
sine pedunculo cauli adna-
to, flore longiōri, tubu-
lāto, ex albido rubente,
& acutè quinquifido.
Minor, rotundifolia, seu
Anglicāna, folio, nunc
plano, nunc rugosiōri,
cauli, mediante pedun-
culo, adhārente, flore
multum breviōri, ex al-
bido lutescente & ob-
tusè quinquifido.

N I G R ī C A, *grīcæ*, Fabrilis, Westmorlandī-
& Abredoniensis.N I T R U M, *nītri*, Fossile, seu natīvum.

Nitērū.

N.

Indian Spikenard.	<i>Radix.</i>	
Celtick Nard, or Mountain Spikenard.	<i>Radix cum foliis.</i>	
Water Cresses.	<i>Herba.</i>	
Garden Cresses.	<i>Herba.</i>	
Swines Cresses, Buckhorn, or Wart Cresses.	<i>Tota Herba cum Seminibus.</i>	
Pepe, or Catmint.	<i>Herba.</i>	
Virginean Tobacco.	<i>Folia sicca.</i>	Oleum Chymic. Sal fixum.
English Tobacco.	<i>Virida folia.</i>	Ungt. è peto.
Black-Lead, or Kilevynne.	<i>Fossile quoddam.</i>	
Nitre.	<i>Sal quoddam.</i>	Spiritus Nitri. Dulc. Sal enixum.

N.L.

N I V I S, vid. *Aqua*.

N U X, *nūcis*, Moschāta, vid. *Arbor Nucifera*, &c.

Juglans, fructu vulgāri, & maximo.

vid. *Juglans*.

Pistacia & Pistachia, fructu racemōso.

Πισταχίον.

N Y M P H Ā E A, *phææ*, Alba, seu major vul-

gāris.

Νυμφαία.

O.

O C H R A, *Ochræ*, Fossilis, seu natīva, cro-

cēi coloris.

Οχρη.

O C ū L I Cancrōrum, vid. *Astacus fluviatilis*.

O C Y M U M, *cymi*, Odōre citri, seu medī-

um, vulgatius, & nigrum.

Ωκύμον, Βασιλικόν.

O L ē A, *lēæ*, Satīva, fructu maximo, & fruc-

tu oblongo minore.

Ἐλαιά.

O L I B ā N U M, *bāni*, & Olibānus, vid. *Ar-*

bor Thurifera.

Ολιβάνος.

O P ī U M, *pīi*, vid. *Papāver*, cuius est Succus,

seu *Lacryma*.

O P O B A L S ā M U M, *sāmi*, vid. *Balsā-*

mum verum.

O P O P ō N A X, *nācis*, vid. *Panax Hercu-*

lēum.

The Pistachia Nut
Tree, or the Fustick
Nut Tree.

Water Lilly.

Fructuum Nuclei.

Radix, Flores.

O.

Ochre.

Terra quadam.

Common Basil.

Herba florida.

The Olive Tree.

Folia, fructus, O-
liva, dictus.

Oleum express. ex oli-
vis maturis & immaturis,
fructus muria conditi.

Olibanum, white,
or Male Frankin-
cense.

K

ORCA

Q R C A Wormii, est Ceti Species.

O RI Gā N U M, *gāni*, Vulgāre, seu Syl-
vestre.

'Oeiyavov.

Q R ā B U S, *rōbi*, Sylvaticus nostras, radice
dulci, tuberosâ, & longissimis Fi-
bris donatâ.

O R C Y Z A, *ryzæ*, Indiæ Orientali peculiāris.

'Opvča.

O S Sepiæ, vid. *Sepiæ*.

O S M U N D A Regālis, vid. *Filix florida*.

O S T E O C O L L A, *collæ*.

O S T R ē A, *trēæ*, & Ostrēum, *trēi*, Vulgāris,
maxima: inter quas præcellunt
Colcestrienses, & Wainfleetenses.

'Otp̄ov.

O V I S, *ovis*.

"Oīs.

O V U M, vid. *Gallina*.

O X Y L A P ā T H U M, vid. *Lap. acut.*

P.

P R E O N ī A, *nīæ*, Fœmina, seu communis fo-
lio strictiore, flore simplici, rubro.

Παιονία, γλυ-
κώδης.

The Parma Sitty Whale.	<i>Liquor, seu Materiæ oleosa, in cellulis cranii bujus piscis repertus, Sperma-ceti, dicta, in lixivio pos- teâ forti, cocta, & purificata.</i>	Empl. & Spermate Ce- ti.
Common Oreganum, or Wild Mar- joram.	<i>Flores.</i>	
Wood Pease, or Cappartilly.	<i>Radices.</i>	
Rice.	<i>Granum, seu Se- men.</i>	Semen Cortice nuda- tum, farina, Spiritus ar- dens, Arack, dictus.
Bone-binder.	<i>Lapis, seu Terra quædam durior.</i>	
An Opier.	<i>Testæ, Margaritæ Scoticæ, Testarum pars alba.</i>	
A Sheep.	<i>Stercus, Sevum, Lac, Lana.</i>	Pannus Wallicus, Scar- latus, Aluta, seu corium præparatum.

P.

Common Peiony. | Radix, Flores. | Syrup. & Flor. Pæon.

PÆONIA Vulgatior, flore pleno multiplici,
vel rubro majore.

Mas, Folio ampliori & splendido,
flore rubro simplici.

PALMA, *palmæ*, Arecifera cūjus fructus ses-
filis, *Faufel* dicitur.

Φοίνιξ.

Prunifera, Japonica, ex quâ Sa-
go Officinarum.

Dactilifera, seu major vulgaris.

Oleosa Guinensis coccifera, fructu
pruniformi, luteo, oleoso, foliō-
rum pediculis spinosis.

PANAX, *nācis*, Herculēum, & heraclēum
majus, pastinacæ folio.

Coloni Gerardi.

Πάναξ ιεραλι-
ον.

PAPAVER, *vēris*, Album hortense, seu
sativum, Semine albo, flore ple-
no, vel multiplici.

Nigrum, seu sylvestre Dioscori-
dis, semine nigro.

Rhæas, *ădos*, seu rubrum & erra-
ticum, majus campestre.

Spinosum Americanum, seu Caribbea-
num, flore luteo simplici, capitulo lon-
giore hirsuto, seu spinis frequentibus
& firmis horrido ac armato, foliis car-
dui benedicti, & Venis albis notatis.

Μίνων ὄψεος.

Μίνων ἀγεία.

Μίνων ποιάση.

Chicallotl, seu
Spina.

Papaver spi-
nosum. Hern.
pag. 215.

PARADISI Grana, vid. *Grana Paradisi*.

PARAGUAY, seu Perygua, Alaterni, vel
Myrti species videtur, ex quâ
Thea Maris Australis, dicta.

Female Peony.	<i>Flores.</i>	Syrupus è Flor.
Male Peony.	<i>Radix, Semen.</i>	Aqua & Syr. Pæon. Comp.
The Indian Nut.	<i>Succus inspissatus, Terra Japonica, dictus.</i>	Trochifc. de Terra Ja- ponic. pastilli, Catechu, dicti.
The Sago Tree.	<i>Arboris medulla.</i>	Fæculæ medillæ arboris, granulatæ & exsiccatæ.
The Date Tree.	<i>Fructus, Dactyli, dicti, eorumque nu- clei, seu ossa.</i>	
The Palme Opi Tree.	<i>Fructus.</i>	Oleum, seu potius Ungt. crassum è carne, seu pul- pâ fructuum expressum.
Hercules's All Heal.	<i>Succus, seu Gummi, Opopanax, dictus.</i>	
Clown's all Heal.	<i>Folia, cum summi- tate floridâ.</i>	
The white Poppy	<i>Semina, Capita, Lachryma.</i>	Succus condensatus, Opium, dictus. Syr. è Meconio.
The black Poppy.	<i>Flores, Semina.</i>	
The red Poppy.	<i>Flores.</i>	Syr. Aqua simpl. Tinctura Florum, seu Surfeit Water.
The purging Thistle.	<i>Semen.</i>	
Paraguap Tea.	<i>Folia cum stipitibus, seu fragmenta folio- rum exsiccatorum, vel festucarum pulvis.</i>	

P A R A L Y S I S, *lysis, sēos, & siōs, Vulgāris, flore simplici, flavo, odorāto.*

P A R I E T A R I A, *rīæ, Vulgāris Officinārum, seu Dioscoridis.*

P A R O N Y C H I A, *cibīæ, Officinalis, ruta-céo foli.*

P A S S Ā E, *passārum, vid. Vitis.*

P A S S Ū L Ā E, *passulārum, vid. Vitis Corinthiaca.*

P A S T I N Ā C A, *nācæ, Sylvestris latifolia, flore luteo.*

P A V O, *vōnis.*

P E N T A P H Y L L U M, *philli, Vulgāre repens, seu majus flore luteo.*

P E R C E P I E R, & Percepierre Anglōrum.

P E R S I C A, *vid. Malus Persīca, Persicum, est fructus Arboris Persicæ.*

P E R S I C A R I A, *rīæ, Non maculāta, seu acris, mordax, & urens*

P E R U V I Ā N U S Cortex, vid. *Cortex.*

P E T A S I T E S, *sītæ, Vulgāris major.*

P E T R O S E L I N U M, *lini, Vulgāre, seu sativum.*

P I C ē A, *cēæ, Latinōrum, seu Abies mas, vel rubra.*

P I L O S E L L A, *sellæ, Major, repens, hirsuta, seu Vulgāris, flore magno.*

P I M P I N E L L A Saxifrāga major, umbellā candidā.

P I N U S, *pini, & pinūs, Domestīca, seu sativa, foliis longis, setæformibus dilutè virentibus, cono magno, & penè rotundo.*

Ἐλέγιν.

Παρωνυχία.

Σπαφυλί, Θ.,
ἄγει.

Ταύς.

Πεντάφυλλον.

Τρεπτέρει.

Πετασίτης.

Πετροσέλινον.

Ἐλάτη ἄρρη,
πεύκη, πίτος,
quibusdam.

Πιμπινελε.

πίτος, πεύκη,
nonnullis.

Materiæ Medicæ Index.

71

Cowslips.	<i>Flores.</i>	Syrupus è Florib.
Pellitory of the Wall.	<i>Folia.</i>	
Rue leaved White low Grass.	<i>Folia.</i>	
Wild Parsnip.	<i>Semina.</i>	
The Peacock.	<i>Stercus.</i>	
Cinquefoil.	<i>Radix.</i>	
Perseleppiert, or Break-stone.	<i>Folia cum caulis teneris.</i>	
Artemart.	<i>Herba.</i>	
Butter Bur.	<i>Radix.</i>	
Perselep.	<i>Herba, Semen,</i> <i>Radix.</i>	Aqua simplex.
The Pitch Tree, Mall, Red, or Spruce Firr Tree.	<i>Resina; ex qua paratur.</i>	Resina communis, white Rosin.
Common Mouse- Ear.	<i>Herba.</i>	Pix liquida. Tarr. Pix com. seu sicca, Pitch. Pix Burgundica.
Burnet Saxi- frage.	<i>Radix, Herba.</i>	
The manured Pine Tree.	<i>Nuclei Pinei, pilules, dicti.</i>	

PLAN

PINUS Sylvestris, seu Montana, foliis longissimis, saturatè virentibus, cono longiori, & minori.

Scotica, foliis etiam binis, simul junc-tis, ramulorum ex omni parte pro rumpentibus, sed multò brevioribus, glaucis, seu colore viridi, ad cœruleum vergente, conis parvis, Turbinatis.

Maritima major.

PIPER, pēris, Album, rotundum.

Πέπερι λευκὸν.

Jamaicense odoratum, vid. *Caryophillus aromat. Americanus, &c.*

Indicum vulgatissimum, propendenti-bus siliquis oblongis, seu recurvis.

Brevioribus siliquis colore rubro, viri-di sculo, & lutescente.

Longum, vulgatissimum Orientale.

Nigrum rotundum, vid. *frutex sarmen-tosus pipiriferus.*

PIPINUM Auréum, & Pyrum magnum,
vid. *Malum.*

PISSELÆUM, læ, Indicum, pix liquida,
Barbadiensis vulgo.

PISTACIA, vid. *Nux pistac.*

PISUM, pīs, Hortense majus, flore can-dido.

Chilli, Nom.
Mexioc.

Πέπερι μακρόν
Πέπερι μέλα-vον.

PIX Burgundiaca, vid. *Ficēa.*

PLANTÆ Assæfætidæ, est umbellifera, le-vistico affinis, foliis instar Pæoniæ ramōsis, ex cujus radice, in Per-sia solum, *Assafetida* exprimitur Planta hæc a Persis *Hingisch*, & Succus ejusdem *Hung* dicitur.

πίγρ.

The Wild, or
mountain Pine
Tree.

The Mountain
Pine, called the
Scotch Firr.

The Sea-pine.
White round Pep-
per.

Indian, or Gui-
nea-pepper.
Bird-pepper.

Long-pepper.
Black-pepper.

Pipins and Pear-
maines.
Barbadoes Tar.

The Pea.

The Assafetida
Plant.

Ramuli recentes.

Cacumina ramulo-
rum viridium.

Grana, seu Fruc-
tus.

Fructus, seu siliqua,
cum seminibus.

Fructus, seu grana.
Fructus.

Semina.

Radix, Pastinacæ
similis, cuius

Resina liquida Terebin-
thina communis, seu vulga-
ris, Common Turpentine, vel
Sicca, seu Thus vulgare,
common Frankincense, or
Parrrosine.

Succus pinguis, albifl-
mus, fætidissimus, porraceo
odore nares feriens, sponte
manans, vel Arte expressus,
Assafetida, dicitur.

P L A N T Ā G O, *gīnis*, Aquatīca, latifolia,
seu major.

Vulgaris, seu latifolia, sinu-
ata.

P L U M B U M natīvum, seu minēra plum-
bi,

*Αρύγλοσσον.

Μόλυβδος.

Nigrum Westmorlandicum &
Scotīcum.

P O C O S E M P I E, Muscus Agni Scythīci
aureus, vid. *Filix peregrina*.

P O L I G O N Ā T U M, *nāti*, Latifolium vul-
gare.

Πολυγόνατον.

P O L I G Ö N U M, *gōni*, Mas, vulgāre, seu
latifolium.

Πολύγονον.

P O L Y P O D ī U M, *dīi*, Quercīnum, vul-
gāre, radice purgante.

Πολυπόδιον.

P O L Y T R ī C H U M, *trīchi*, Officinārum,
seu Trichomānes.

Πολύτεχνον.

P O M U M Hortense, vid. *Malum*.

*Αμηρία.

P O P Ū L U S, *pūli*, Nigra.

P O R C U S Domestīcus.

Χοῖρος.

P O R R U M, *porri*, Commune capitātum.

Πεύσον κεφαλ-
λωτόν.

P R U N E L L A, *nelle*, Major, vulgāris, seu
folio non dissecto, flore albo
& carneo.

Κοκκυρηλέα.

P R U N U S, *pruni*, Satīva, Gallicā, vel Do-
mestīca:

*Αγεία κοκκι-
μηλέα.

Sylvestris.

Ψύλλιον.

P S Y L L İ U M, *līi*, Vulgāre, seu majus erec-
tum.

Πταρμική.

P T A R M İ C A, *mīcē*, Vulgāris, seu folio lon-
go, ferrāto, flore albo.

Water Plantain.

Folia.

Great, or Broad-
Leav'd Plantain.

Lead.

Black Lead.

Herba tota.

Minera.

Golden, or Indi-
an Moss.

Solomon's Seal.

Herba, Radix.

Knot-Grass.

Herba.

Polypody.

Radix.

English Maiden-
Hair.

Herba integra.

Ungt. Populneum.

The black Poplar
Tree.

*Folia, Gemmæ, seu
oculi.*

The Hog.

Axungia.

Pomatum.

The Garden Leek.

Folia, Radices.

Self Heal.

*Folia, cum Capiti-
bus floridis.*

The Prune Tree.

*Fructus, κοκκού-
μηλον, dictus.*

Elect. Diaprunum.

The Sloe Tree or
Black Thorn.

*Fructus immaturi,
Prunelli, dicti.*

Succus inspissatus, Aca-
ciâ, dictus.

Flea-bane, or Flea-
wort.

Semina.

Sneeze-Wort.

Herba.

PULEGIUM, <i>gii</i> , Regale, seu Hortense, latifolium.	Γλυχῶν.
PULMONARIA, <i>riæ</i> , Maculosa, latifolia, seu vulgaris.	
PYRETHRUM, <i>r̄ethri</i> , Umbelliferum, flo- re bellidis, seu vulgare of- ficiinārum.	πύρεθρον.
PYRITES, <i>ritæ</i> , Aluminōsus, Argentarius, Atramentōsus, seu Vitriolicus.	Λίθος πείτης.
PYROLA, <i>r̄olæ</i> , Nostras, vulgaris, seu ro- tundifolia, major.	

Q.

QUERCUS, *querci*, & *quercus*, Gallifera.

Vulgāris, cum longis pedicūlis,
seu latifolia Mas.

R.

RANA, *ranæ*, Aquatica, vulgāris.

Βάτραχος.

RANUNCULUS, *cili*, Flammeus, minor,
seu longifolius, palustris,
minor.

Βάτραχόν.

Penny-rope.	<i>Herba florescens.</i>	Aqua, Oleum.
Lung-wort.	<i>Herba.</i>	
Pellitory of Spain.	<i>Radix.</i>	
The Marcassite, Copperas, and Fire Stone.	<i>Lapis.</i>	
Common Winter- green.	<i>Herba.</i>	

Q.

The Gall-berry Oak.	<i>Tubercula excre- mentitia, Gallæ, dic- ta, vel quorundam Insectorum nidi.</i>	
The Common Oak.	<i>Germina, Cortex, Glandes, Folia.</i>	Aq. Germ. Querc.

R.

The Frog.	<i>Ovula, Sperma, vulgo dicta.</i>	Aqua Stillatitia. Empl. è Ranis, cum, & sine ♀ 10!
The Lesser Spear- wort.	<i>Herba florescens.</i>	

RAPA, <i>rapæ</i> , Sativa, seu Rapum, <i>rapi</i> , rā-	Γογύλη.
dice longâ, & rotundâ.	
RESINA, <i>sīnæ</i> , Abiegna & Abietina, vid.	Πνείν.
<i>Abies</i> .	
Cyparissina, vid. <i>Terebinthus</i> .	
Guajaci nativa, vid. <i>Guajac</i> .	
Larycēa, seu Larygna, vid. <i>Laryx</i> .	
Lentiscina, vid. <i>Lentiscus</i> .	
Pinēa, vid. <i>Pinus sylvestris</i> .	
Terebinthina Officin. vid. <i>Laryx</i> .	
Vera, vid. <i>Tereb. arbor</i> .	
Vulgāris, nigra & lutēa, vid. <i>Tere-</i>	
<i>binthina vulgāris</i> , cuius est resi-	
dūm post Olei & Spiritus distillā-	
tionem.	
RHABARBĀRUM, <i>bāri</i> , Verum, seu Ge-	Ραβαρβάρη.
nuīnum.	
RAPHĀNUS, <i>phāni</i> , Hortensis minor, ob-	Ραφανίς.
longus.	
Sylvestris, seu Rusticānus.	
RHAPONTICUM, <i>tūci</i> , vid. <i>Lapathum</i>	
<i>Hortense</i> , &c.	
RHODIUM, <i>dīi</i> , vid. <i>Cytisus Canariensis</i> .	
RIBES Vulgāris, domestica, fructu rubro,	
nigro, & albo.	
RHUS, <i>hoīs</i> , & <i>kūi</i> , Folio ulmi, seu Virgi-	Ρῆς.
neānum.	
ROS, <i>rōris</i> , Majalis	Δερσός.
ROSA, <i>rosæ</i> , Alba, seu candida, vulgaris, ma-	
jor, flore simplici & multiplici.	
Damaſcēna, seu pallida, vel moschā-	
ta.	
Rubra, flore valdē pleno, semipleno	
& simplici.	

A Turnep.

Radix.

Syrupus.

Rhubarb.

Radix.

Syrup. & de Cichorio-
cum Rhabarb. Tinctura,
Trochisc.

Garden Radish.

Radix, Folia.

Aq. Raph. Comp.

Horse Radish.

Radix.

Rhapontick.

Radix.

The Red, Black,
and White Currant
Bush.

*Fructus, seu Bac-
ca.*

Rob. de Ribes.
Gelatina Ribium,

The Sumach Tree.

*Folia, Grana, seu
Baccæ.*

Ungt. Sumach.

May Dew.

Flores.

Aqua.

The White Rose.

Flores, Succus.

Aqua.

The Damask Rose.

Germin. Flores.

Aqua, Syrup. Rosar. So-
lutiv. è Succo Rosarum.
Elect. è Succo Rosar.

The Red Rose.

Aqua è florib. Conserv.
Mel. Tinctura, Syr. è Rosis
siccis, Oleum, Aromat. Ro-
sat. Ung. Rosat.

R O S A *Sylvestris*, vulgāris, seu canīna, flore
odorato, incarnato.

Κυνόφροδος.

R O S M A R I N U S, *roris-marīni*, Hortensis,
folio angustiōre, seu Ros-
marīnum vulgāre, coro-
narium.

Λιβανωτίς.

R U B I A, *iæ*, Tinctorum satīva, seu horten-
sis.

'Ερυθρόδιαν.

R U B R I C A, *brīcæ*, Fabrīlis.

Μίλτου πκ-
πονική.

R U B U S, *bi*, Idæus, spinōsus, fructu rubro
& albo.

Βάτραχος ιδαία.

Vulgāris, major, fructu nigro.

R U T A, *rutæ*, Hortensis, latifolia, seu satīva
major.

Πάγανος, Πύτη.

Sylvestris, seu Syriaca, flore albo
magno.

S.

S A B I N A, *bīnæ*, Vulgāris, seu folio Tamari-
sci Dioscorid.

Βερβίσι.

S A C C H A R U M, vid. *Arundo Saccharina*.

S A G A P ē N U M, *pēni*, vid. *Ferūla major*,
folio fœnicūli, &c.

S A G O, *Sagou*, & *Sagu*, vid. *Palma Japonīca*,
prunifēra.

S A L, *salis*, Ammoniacum nativum, nunc non
datur, artificiale fit ex fuligine, urinā,
sale marino, &c.

Materiæ Medicæ Index.

81

The wild Rose, Dog-rose, or Hips.	<i>Fruetus.</i>	Conserua fruct. Cynos- bati.
Garden Rosemary.	<i>Folia, Flores, & summit. floridæ.</i>	Aq. Regin. Hungar. seu è florib. roris Marini. Conserua Anthos.
Red Madder.	<i>Radix.</i>	
Marking-stone, or Keeler.	<i>Terræ species.</i>	Bolus Armena commu- nis fit ex hac terrâ in later- culos coacta.
The Rasp, or Hind Berry-bush.	<i>Folia, fructus.</i>	Syr. è fructibus.
The Black-berry or Bramble bush.	<i>Cymæ, fructus, fo- lia.</i>	
Garden Rue.	<i>Herba, semina.</i>	Aqua, Conserva.
Wild Rue.	<i>Herba.</i>	

S.

Sabine, or Sa- vine.	<i>Summitates & Fo- lia cum ramusculis.</i>	Oleum per infusionem & Chymicum.
Ammoniack Salt.		Spiritus, Flores, Sal Volat.

M

SAL

SAL communis, seu culinaris, vid. *Aq. salsa putealis*, vel *Marina*, ex quibus excogitur.

Fossilis, seu *Gemmæ*, & *Gemmeus*.

Niger Gallicus.

Rupeum, seu fossile, in pluribus Angliæ locis & alibi.

SALEP, vid. *Serapias*.

SALSAPARILLA, *rilla*.

SALIVA hominis jejuni, vid. *Homo*.

SALVIA, *vīa*, Agrestis, seu sylvestris.

Hispanica, seu Sarniensis, odoratissima, folio tenuiori.

Hortensis major, latifolia, vulgaris, pediculis foliorum, & caule rubentibus.

Minor, tenuifolia, pinnata, seu nobilis, aurita, & non aurita.

SAMBUCUS, *buci*, fructu in umbellâ nigra, vulgaris, seu arborëa.

Ἐλεισφυνθόν.

Ἀκτίνη.

SANGUIS Dracōnis Officin. vid. *Draco Arbor*.

SANGUISUGA, *sūgæ*.

SANICULA, *cūlæ*, Vulgaris Officinärum,

Βδέλμα:

SANTONIUM, vid. *Absynthium*, *Santonicum*.

SARCOCOLLA, *collæ*.

Σαρκοκύλλα.

SASSAPHRAS, vid. *Arbor*, &c.

SATYRUM, *nī*, Mas, foliis maculatis.

Σατυρίον, "Op-

χίσα.

Common Salt.

Fit. evaporatione aquæ
marinæ, in calidis regio-
nibus, ex quo Spiritus, Sal
decrepitatus, &c.

Salt Gemm.

Bay Salt.

Rock Salt.

Sarsaparilla.

Wood Sage.

Guernsey Sage:

Radix.

Folia.

Common red Sage.

Herba, Flores.

Small, or Tea-
Sage, or Sage of
Virtue.

The Elder Tree.

Folia.

*Folia, Germina, flo-
res, baccæ, Ramuscum-
li ad rad. arbor. cres-
centes, cort. interior,
seu Medianus.*

Aqua, Syrupus, Ungt.
Oleum.

Rob. seu Extract.

The Leech.
Sanicle.

*Animal vivens.
Herba.*

Sanguinis Suctioni in-
servit.

Sarcocoll, or Flesh
Glue.

*Gummi, seu la-
chryma.*

Male Satyrion.

Radix.

Elect. Dya Satyr.

SAXIFRĀGA, *frāgæ*, Alba, rotundifolia,
seu vulgāris radice granulōsâ.

SAXUM Calcarium, unde Calx conficitur,
vid. *Lapis*.

SCABIOSA, *ōfæ*, Pratensis hirsūta, folio
laciniāto, seu major vulgaris.

SCAMMONIA, *nīæ*, Syriāca, legitima,
flore majore Convolvūli.

SCAMMONIUM, *nīi*, est succus Scam-
moniæ plantæ concre-
tus.

SCHOENANTHUS, *nanthi*.

Σκαμμωνία.

Σχοινάνθη.

SCILLA, *Scillæ*, Alba, seu mascula Plinii,
radice albescente.

Vulgaris, radice rubescente.

SCORDIUM, p. c. *dīi*, p. c. Verum, seu le-
gitimum, folio allium re-
dolente, & flore subrubef-
cente.

Σκύλλα.

Σκόρδιον.

SCORZONERA, *nēræ*, Latifolia, sinuāta,
vel Hispanica major.

SCROPHULARIA, *rīæ*, Aquatica, major,
radice fibrōsâ.

Major, vulgāris, radice nodōsâ, fæ-
tida.

SECALÉ, *cālis*, Vulgātius, seu hybernum
majus.

SEDUM, *sedī*, Majus, vulgāre.

Parvum, acre, seu minimum, flore
luteo, folio longiusculo tereti.

Αείζων μέγα.

SENA, *Senæ*, & *Senna*, Alexandrina, Indīca,
seu Orientālis, foliis acutis.

Αφυλαίνθη.

White Saxifrage.

Radix, Folia.

Aqua simplex.

The Lime-stone.

Field Scabious.

Herba florescens.

Valentia Scabiosæ.

The Scammonia
Plant.

*Succus ex totâ
plantâ cum radice
expressus.*

Camomile Hay,
Squinanth, or Sweet
Rush.

*Culmus, seu Stra-
men, cum foliis &
floribus.*

The Squill, or Sea
Onion.

Radix.

Acetum, Oxymel. Simpl.
& Comp. Trochisc.

Red Squill.

Radix.

Water Germanander.

Herba.

Aqua, Confectio Dios-
cordium, dicta.

Vipers Grass.

Radix.

Water Figwort, or
Water Betony.

Folia.

Figwort.

Folia, Radix.

Ape.

Granum.

Panis Secalinus,
Farina Secalina.

Great Houseleek.

Folia.

Stone Crop, or
small Sedum.

Herba.

Folia.

Infusum Senæ,
Pulv. Senæ Comp.
Major & Minor.

SEN A

Senæ of Alexan-
dria, with sharp poin-
ted Leaves.

S E N A Italica, Florentina, seu Ligustica, foliis obtusis.

S E N E C I O, *ōnis*, Asiaticus, Jacobææ folio, radice lignosâ, cuius radix *China Orientalis* Officinârum.

Minor vulgaris.

Heugewurz.

S E N I C A, seu Senëga ; Gummi Species, vid. *Gummi Senega.*

S E P I A, *iæ.*

Sepia.

S E R A P I A S, *ădis.*

Ophrys sepi-
alias.

S E R I C U M, *rīci*, crudum, vid. *Bombyx.*

S E R P E N T A R I A, *rīæ*, Virginiana, caule nodoso, fructu pentangulari, radice flava, fibrösâ.

Carolineana, radice fibrosâ, nigriori.

S E R P I L L U M, *pilli*, Citratum, seu foliis odore Citri.

Epteronion.

Vulgare, minus.

S I G I L L A T A Terra.

S E V U M Bovinum, vid. *Bos.*

S I N ā P I album hortense, seu apii folio, siliquâ hirsutâ, semine albo.

Sirnpi.

Rubéum hortense, seu Rapi folio, siliquâ latiusculâ, glabrâ, semine rufescente & nigro.

S M I L A X, *ăcis*, Peruiana, fructu nigro, radice nodosâ, magnâ, levi, farnacêa.

Smilax teca-
chæa.

Chinensis, *Lampatam*, dicta.

S O L ā N U M, *lāni*, Hortense, bacciferum, acinis lutéis, vel nigricantibus.

Solanum,
Knitra.

Italian Sena,
with rounder, or blunt
Leaves.

China-root.

Groundsel.

The Cuttle Fish.

Dalep.

Virginian Snake-
weed.

Carolina, or black
Snake-weed.

Lemon Thyme.

Mother of Thyme.
Sealed Earth.

White Mustard.

Common Garden
Mustard.

West India China-
root.

East India China-
root.

Common Night-
shade.

Herba.

*Os, seu Testa, dor-
so pectoris innatum.*

Radix.

Radices fibrosæ.

Tinctura.

Radices.

Herba florescens.

Herba.

Terra quadam.

Semina.

*Sinapium è Seminib.
cum liquido præparatum.*

Semen.

Ol. per express.

*Radix China Oc-
cidentalis.*

*Radix China O-
rientalis.*

Herba.

S P E R-

SPERMA, mātis, Ceti, vid. Orca.

SPICA Celtica, vid. Nardus Celtica.

SPICA Nardi, vid. Nardus.

SPINA alba, seu acūta, apii folio, fructu rubro.

Ægyptiaca vera, ex quâ Acacia, & Gum. Arabicum officinale, vid. Acacia vera.

Cervina, seu Rhamnus spinis oblongis, flore candicante, & baccis nigris, succo purgante repletis.

SPONGIA, gīæ, Globosa, marina, seu flava, foraminibus exiguis pervia.

SQUILLA, læ, Parva Rondeletii, seu fluviatilis.

STANNUM nativum, seu Minera Stanni.

STAPHIS AGRIA, Staphidis agraria.

STOECHAS, chādis, & chādos, Arabica, seu purpurea, vulgaris.

STORAX, rācis, vid. Arbor Storax. Vulgaris, &c.

STROBILUS Pinēus, vid. Pinus cuius est fructus.

SUBER, bēris, Hispanicum latifolium, perpetuo virens.

SUCCINUM, cīni, Album, Prussiacum.

Flavum, seu Citrīnum.

SUCCISA, cīsa, Glabra, seu vulgaris, flore purpureo.

SUMACH, vid. Rhus.

SULPHUR, phūris, Vivum, nativum, seu ignem non expertum.

"Ἀγαθά Λευκη.

Σπύρα.

Κασίπερα.

Σταφις αγρεια.

Στοῖχας.

Στιχας.

Στρόβιλα.

Φελλὸς.

"Ηλεκτρα.

Θεῖον, ἀπυεργ.

The white Thorn, or Haw Thorn.	<i>Folia, Flores, Fructus.</i>	Aqua è floribus, Nephratica, dicta.
Purging Buck-thorn.	<i>Bacca.</i>	Syrupus è Succo, Baccharum.
The Sponge.	<i>Integra Planta.</i>	Sal Volatile Chym.
The Shrimp.	<i>Pisces integri, Testa.</i>	
Tin.	<i>Metallum.</i>	Regulus Jovis.
Staves Acre, or Lousewort.	<i>Semen.</i>	
French Lavender, or Arabian Stoechas.	<i>Flores, seu capitula oblonga squamata.</i>	
The Cork Tree.	<i>Cortex exterior.</i>	
White Amber.	<i>Succus Bituminosus.</i>	Levigatio, Spirit. Oleum, Sal. Volat. Tinctura, Trochisc.
Yellow Amber.		Compositiones eadem.
Brimstone.		Empl. Diasulph, Spir. Ol. per comp. Gas, Balsam, flor. Tinct. Syrup. Lac.

S Y M P H I T U M, *phiti*, Majus, vulgāre, flo- | Σύμφυτον.
re albo, vel pallidè lutēo.

T.

T A L P A, *talpæ*.

T A M A R I C E, *rīces*, & Tamariscus, *risci*,
Folio tenuiōri, seu Gallica.

T A M A R I N D U S, *rindi*, Orientalis.

Σκάλοψ.
Μυείνω.

Báñarꝝ.

Occidentalis, seu Mexiocanus.

T A N A C ē T U M, *cēti*, Vulgāre, flore lu-
tēo.

Ἄσανθα.

T A R T ā R U M, *tāri*, & Tartārus, Albus
& ruber, vid. *Vitis*.

T A U R U S, *tauri*.

Taῦρꝝ.

T E C O M A H A C A, vid. *Arbor populo si-
milis*, &c.

T E L A Aranearum, vid. *Araneus*.

T E L E P H I U M, *phii*, Vulgāre, album &
purpurēum.

Τηλέφιον.

T E R E B I N T H U S, *bintbi*, Vulgatiōr, an-
gustiōri folio.

Τερμινδίνη ῥη-
ΐνη, Τερμίνθος.

T E R E B I N T H ī N A Vulgāris, seu commū-
nis, vid. *Pinus Sylvestris*.

T E R R A J A P O N ī C A, vid. *Palma*, cu-
jus fructus, Faufel, dicitur.

Comfrey.

<i>Radix, Folia, Flo-</i> <i>res.</i>	<i>Conserv. Rad. & Flo-</i> <i>rum, Syrup.</i>
--	---

T.

The Mole.

Animal integrum.
Cortex, lignum,
Summitates, seu fo-
lia.

Talpa Incinerata.

Tamarisk.

Fructus contusus,
raro Siliquæ inte-
græ.

Pulpa e siliquis excep-
ta, abjectis nucleis.

The Tamarind
Tree.

Pulpa.

The West India
Tamarind.

Folia cum Flori-
bus & Seminibus.

The Bull.

Sevum, Fel, Lapis
e Felle.

Oxpine.

Folia.

Turpentine Tree.

Resina, Terebinthi-
na vera, dicta.

Balsamus Terebinthia-
colophonia.

T H E A, Frutex, ex quâ, Theæ Bohee, Imperialis, seu Cæfarea, & Viridis, seu Singlo. Quæ omnes Species sunt unus & ejusdem arboris, seu fruticis folia, & differre tantum perhibentur tempore colligendi & præparandi, seu, ut vocant, Curandi modo.

T H U S, thūris, Vulgāre, seu feminēum, vid Pinus Sylvestris.

Mascūlum, vid. Olibānum.

T H Y M U M, thymi, durius, & Thymus vulgaris, folio latiore.

T I L Ī A, tiliæ, femina, folio majōre.

T I T H I M ā L U S, măli, Mauritanicus Aizoides, opuntiæ facie, spinosus, nodosus, angulosus, aphyllus, lacte turgens acri.

T O R M E N T I L L A, tillæ, Sylvestris, seu Vulgaris.

T R A G A C A N T H A, canthæ, Mæssiliensis vera.

T R I F O L I U M, lii, Paludōsum, palustre, aquaticum & fibrinum.

T R I T ī C U M, tīci, Amylēum, vid. Fru-
mentum Amyleum.

Spicâ muticâ, seu vulgāre, aristis carens.

T U S S I L ā G O, gīnis, Vulgaris, foliis lanu-
gine tenui obductis.

T U T ī A, sit ex terrâ quâdam, argillæ in-
star, glutinosâ, in India orientali in
fornacibus xsiccata.

Λιβαρὸς.

Θύμον.

Φίλυρα.

Ἐπτάφυλον.

Τεαγακάνη.

Τείφυλον.

Πυρὸς.

Βήχιον.

Πομφόλυξ.

The Thee Plant.	<i>Folia convoluta, & sicca.</i>	
Bohee, Green, Imperial, and Sin- glo Tea.	<i>Folia.</i>	
Thyme.	<i>Herba florescens.</i>	Trochi de Thure.
The Lime Tree. The Euphorbium Plant.	<i>Flores, Folia.</i> <i>Gummi, Euphor- bium, dictum.</i>	Empl. Cephal. cum Eu- phorb. Ol. simpl. & comp.
Toamentill.	<i>Rædix.</i>	
Goats Thorn.	<i>Gum. Tragacan- tha dictum.</i>	Species Diatragacanthæ frigid.
Buck-bean, or Marsh Treefoil.	<i>Folia.</i>	
Wheat.	<i>Granum decortica- tum.</i>	Furfur, Farina Triti- cea, panis Siligineus, puls, mica, & crusta panis albi.
Colts-foot.	<i>Folia, Flores.</i>	Syrupus.
Tutty.		Unguentum è tutiâ.

V.

VACCA, *Vaccæ.*

Bēs, Δαμάλισ.

VALERIĀNA, *ānæ*, Hortensis olusātri folio, radice rugosâ, multis fibrillis donatâ, grave-olente, & fœtidâ.

Náρδος αγεία.

Sylvestris major, seu aquatica magna, Radice fere inodōrâ, & insipidâ, ex plurimis compositâ fibris.

Minor, seu montana, caule vel hirsuto, seu villoso, vel plano, seu lævi, Radice, ex paucioribus composita fibris, & tenuioribus, suave-olente, aromaticâ, gustu acri & penetrante, flore ex purpurâ albo; seu vera *Fabii Columnæ*, Valeriana minor, seu sylvestris.

VERBASCUM, *basci*, Mas latifolium, seu vulgare, flore maximo luteo.

Φιλόμου.

VERBENA, *bēnæ*, Communis, flore cæruleo, seu inas vulgaris & recta.

Ιεραβοτάνη, περιτέρων.

VERRUCÆ, *cārum*, Pedum Equinorum, vid. *Equus*.

VICIA, *cīæ*, Sativa, seu Vulgaris, semine nigro.

Βίκιος, vel
Βίκια.

VIOLA, *ölæ*, Martia, purpuræ, flore simplici, odorato.

Ιον πόρφυρα.

VIPERA, *pēræ*.

Ἐχιδνα.

VIRGA, *Virgæ*, Aurëa vulgäris, latifolia.

V.

A Cow.

Stercus, Lac, La-

Ol. ex pedibus bovin.
Butyrum salitum & insul-

pides Fellis, Fel, U-

sum. Lac ebutyratum.

rina, Cremor Lactis.

Radix, Flores.

Garden Valerian.

Radix, Flores.

Great Water Va-

lerian, or Capons-

Tail.

True Wild Vale-

rian.

Radix, Flores.

White Mullein.

Folia, flores.

Conserva Florum.

Verbain.

Herba.

Common black
Tare.

Grana, seu Semi-

The March Violet.

Flores, folia.

Syrupus è Succo, & per

The Viper.

Axungia, Animal
integrum, exuviae.
seu Cutis exterior.

infusion.

Golden Rod.

Herba florescens.

Vinum Viperinum, Sal-

Volatile, Trochisci.

VISCUM, *Visci*, & VISCUS, *Visci*, Bac-
cis albis Quercūs, & aliarum ar-
bōrum, viz. Tiliarum, Pomorum
Sylvestrium, Corylorum, Oxy-
canthæ, &c.

'Ιξός.

VITIS, *Vitis*, Vinifera, seu satīva.

Corinthiaca, seu Apyrina.

'Αμπελός.

VITRIOLUM, *öli*, Album nativum.

Cœrulēum, seu Romanum.

Viride nativum.

Χάλκαρδος.

VOLUBILIS Siliquosa Mexicāna, foliis
plantaginis, sed pinguioribus &
longioribus, fructu numerosis
granis nigrescentibus replete.

Banilla, Nom.
Hispan.

VITULUS, *tūli*.

U.

ULMARIA, *rīa*, Vulgaris.

ULMUS, *ulni*, Vulgatissima, folio lato,
scabro.

Πτελέα.

URTICA, *tīcæ*, Romāna, seu urens, pilū-
las ferens, sive Mas cum globū-
lis, Semine lini, sed minore.

Mistletoe, or Mis- letoe.	<i>Lignum, Folia, Baccæ.</i>	
The Currant Vine.	<i>Fructus, uvæ pas- sæ minores, seu pas- sulæ Corinthiacæ, dicti.</i>	
The manured Vine.	<i>Baccæ uvæ majo- res, maturæ exsicca- tæ.</i>	
White Vitriol. Roman Vitriol. Green Vitriol.	<i>Vitriolum nati- vum rarissimè facti- tum frequenter.</i>	Succus fermentatus, Vi- num, dictus, Spt. Vini, A- acetum, Tart. albus & ru- ber, fæces, ex quibus sicca- tis & calcinatis, fit <i>Cinis</i> . <i>Clavellatus, Pot-Ashes,</i> vulgo dictus.
The Vanillas Tree.	<i>Siliquæ, cum se- minib. numerosissimis, minutissimis, nigris.</i>	Pulv. Sympathet. Ol. Sp. purificatio, Sal, Elixir. Dantiscan. addito Cupro. Vitriolum viride factum ex solutione quo- rundam lapidum ferrugine- orum <i>Copperas Stones</i> cum aliqua parte ferri veteris.
The Calf.	<i>Sevum Vitulinum.</i>	

U.

Meadow-Sweet, or Queen of the Meadows.	<i>Herba florescens.</i>	Aqua simplex.
The Elm.	<i>Cortex exterior.</i>	
The Roman Pet- tle.	<i>Semina.</i>	Syrup.

O

U R.

URTICA Vulgāris urens, seu racemifēra
major perennis. | Κυδη, κακ-
λύφη.

UVA passa major, vid. *Vitis*.

Minor, vid. *Vitis Corinth.*

Z.

ZEDOARIA, rīa, Longa & rotunda, seu
Zeylonica camphoram redolens. | Zádvea.

ZIBETHA, bēthā, & Zibēthum, vid. *Ca-*
tus Zibethicus.

ZINZIBER, bēris, Orientale, vel Jamai-
cense, radice tuberosâ, nodo-
sâ, ramosâ, colore rufescente,
sed pelliculâ externâ arte sepa-
ratâ, albescente. | Zizyfep.

The common sting-
ing Nettle.

Herba, Semina,
Cymæ teneræ, seu
novella.

Z.

Long and round
Zedoarp.

Radices.

Radices conditæ.

Ginger.

Radix.

Radices virides Saccha-
ro conditæ in India.

Oz

ER

ERRATA GRAVIORA.

Delenda.

- P. 16. l. 20. d. seu.
 P. p. 21. col. 2. l. 11.
 d. post unde.
 P. 24 l. 12. d. Sativa.
 P. 26. l. 2. d. & Cicuta-
 ria major.
 P. 33. col. 3. l. 1. d. Ungt.
 P. 48. l. 13. d. flore pur-
 purascente vel albo.
 P. 75. col. 3. l. 6. d. Ungt
 populn.

Corrigenda.

- P. 4. l. 19. Angustifo-
 lia, l. folia.
 P. 8. l. 1. nii, l. nii.
 P. 15. col. 2. l. 17. capiti,
 l. capite.
 P. 16. l. 10. vid. Arbor
 Balsam. Indic. l. vid. Ar-
 bor. Balsamifera prima
 Hernand.
 P. 22. l. 7. Stellatus, l. a-
 tus. l. 8. aculeis, l. leis.
 P. 27. col. 2. l. 20. medi-
 am, l. medium.
 P. 28. l. 3. Corralina, l.
 Coralina.
 P. 29. col. 1. l. 5. Cherry-
 Dog-trée, l. Dog-Cher-
 ry-tree. col. 2 l. 4. Co-
 ma, l. Corna.
 P. 34. l. 29. Exuviae, l.
 Exuviae.
 P. 35. col. 3. l. 7. podiis,
 l. podii.
 P. 36. l. 8. feniculi, l. fœ-
 niculi.
 P. 37. col. 3. l. 4. ♀ &
 Tar. l. Sulphur & Tart.

- | | |
|--|---|
| <p>P. 42. l. 3. norum, l.
 nōrum. l. 9. Ammoni-
 acum, l. ācum. l. 22. ra-
 diato, l. āto.</p> <p>P. 46. l. 3. Peruviana, l.
 āna. l. 11. Icthyocolla,
 l. Ichthyocolln.</p> <p>P. 47. col. 2. l. 10. viri-
 dum, l. dīum.</p> <p>P. 48. l. 20. rūbente, l.
 rubente.</p> <p>P. 52. l. 6. luteūm, l ēum.</p> <p>P. 58. l. 16. Hortensis, l.
 Sylvestris.</p> <p>P. 62. l. 27. Westmorlan-
 di, l. dīca.</p> <p>P. 64. l. 11. fluviatilis, l.
 fluviatilis.</p> <p>P. 90. Symphitum, l. Sym-
 phytum.</p> | <p>P. 24. l. 11. post. seu, ad.
 Sativa.</p> <p>P. 28. l. ult. post radice,
 ad. Solidâ.</p> <p>P. 29. col. 3. ad. Syr. Co-
 rallii.</p> <p>P. 31. col. 3. l. 1. ad. Ela-
 terium...</p> <p>P. 33. col. 3. ad. Ungt. Di-
 gitalis.</p> <p>P. 35. col. 2. l. 2, ad. Ra-
 dix.</p> <p>P. 41. col. 3. l. 4. ad. Ci-
 neres.</p> <p>P. 45. col. 2. l. 6. ad. Cra-
 nium. l. 10. ad. Semen.</p> <p>l. 12. post Ventriculns,
 ad. ,</p> <p>P. 59. col. 3. l. 6. ad. Se-
 vum.</p> <p>P. 70. l. 29. ad. nellæ fra-
 gæ.</p> <p>P. 71. col. 3. ad. Aqua
 flor. Parailys.</p> <p>P. 74. l. 8. ad. vid. Nigri-
 ca fabrilis.</p> <p>P. 80. col. 3. ad. Gelatin.
 Rub. Idæi.</p> <p>P. 84. l. 16. post Scordi-
 um, ad. vel.</p> <p>P. 85. col. 3. ad. Dyagry-
 dium.</p> <p>P. 89. col. 1. ad. Devels-
 bit. col. 2. ad. folia Suc-
 cifæ. col. 3. ad. Sal Jo-
 vii.</p> <p>P. 93. col. 3. ad. Tinct.
 Euphorbii.</p> <p>P. 97. col. 2. l. 11. post
 rarissimè, ad. ,</p> |
|--|---|
- Addenda.*
- P. 8. inter l. 12, & 13.
 ad. Iseltoniensis. in-
 ter l. 16, & 17. ad.
 Moffetensis.
- P. 3. col. 3. l. 7. ad. Aqua
 Mellis. col. 1. l. 21. ad.
 Salt. col. 3. ad. Ungt.
 Mundif. ex Apio.
- P. 10. l. 3. ante Laurifo-
 lia, ad. Baccitera. l. 22.
 post Americanam, ad.
 ferens.
- P. 11. col. 3. ad. flores, &
 Tinct. Benzoin.
- P. 16. l. 21. post albo, ad.
 vel purpureo. l. 25. post
 Benzoin, ad. &c.
- P. 18. l. 3. post Armeniaca,
 ad. vel Armenia.

M I N E R A L O G I A :
S E U
R e g n u m M i n e r a l e.

Fossilia Metallis affinia.

Antimonium,	Plumbum nigrum,
Argentum vivum,	Pyritis.
Cinnabaris,	

Lapis.

Aluminosus,	Osteocolla,
Calcarius,	Plumbarius,
Hæmatitis,	Pyritis,
Hybernicus,	Vitriolicus.

Metalla perfecta.

Argentum,	Ferrum,
Aurum,	Plumbum,
Cuprum,	Stannum.

Salia Medicamentosa.

Alumen Rupeum,	—Marinus niger,
Nitrum,	Tincar, unde Borax,
Sal fossilis,	Vitriolum nativum.
Gemmeus,	

Sulphura Medicamentosa.

Ambra grysea,	Succinum flavum,
—Nigra,	Sulphur Nativum.
Pissæleum Indicum	

Terræ Medicamentosæ.

Argilla,	Ochra,
Bolus Armenia,	Rubrica fabrilis,
—Communis,	Terra Japonica vul-
Cimolia alba,	gò,
—Purpurascens,	Lemmia,
Creta alba,	—Sigillata.
Nigrica fabrilis,	

Z O O L O G I A :

S E U

R e g n u m A n i m a l e.

*Ab Animalibus desumpta,
vel*

Ab iisdem producta.

Butyrum Majale,	Ovum ejusdemque
Cera flava,	albumen, vitellum,
Favus,	& testa,
Folliculi Sericei,	Sanguis humanus,
Ichthyocolla,	Sericum crudum,
Lac,	Sperma Ceti,
Lapis Bezoar,	Ranar.
ē felle Bovino,	Telæ Aranearum,
Margaritæ,	Ventriculigallinarum
Mel Virgineum,	Membrana interior,
	Ventriculus Husōnis.

Adeps.

Anseris,	Porci, seu axungia
Caponis,	porcina.
Gallinæ.	Viperæ.
Hominis seu axungia	Vituli.
humana.	

Animalia Integra.

Apis,	Halec,
Bufo.	Lumbrieus terrestris.
Cantharis.	Millepes.
Cochinella.	Serpens.
Cochlea Terrestris.	Squilla.
Columba.	Vipera.
Formica.	

Animalium Excrementa.

Album Græcum, seu Fel Bovinum, vel	
Stercus Caninum.	Taurinum.
Castoreum.	

Fimus Columbinus,
vel Stercus Co-
lumbæ.

Moschus,
Ovula Ranarum,
Sperma, diæta,
Saliva hominis Je-
juni,

Stercus Anserinum,
Bovinum,
Caballinum,

Animalium Partes.

Apices nigræ chelar.
cancrorum,

Chelæ cancrorum,

Corium Husōnis,

Cornu Cervi, vel
Cervinum,

Cranium hominis sa-
ni violentâ morte
extincti,

Ebur, seu Dens Ele-
phantis,

Exuviae Anguillæ &
Serpentis,

Hepar, cum Felle
Anguillarum,

Hepar, cum Felle
Serpentum,

Axungia, vid. *Adeps.*

INSECTA,

Seu

Exanguiæ majora & minora,
Item Mollia & Crustacea.

Apis,
Aranea,
Astacus fluviatilis,

Stercus Gallinaceum,
Ovillum,
Pavonis,
Taurinum,
Vaccinum,
Urina hominis adul-
ti,
Pueri impube-
ris,
Vaccinæ,
Zibethum.

Cochinella,
Cochlea terrestris,
Formica,
Hirudo,
Lumbricus terrestris,

Mater Perlarum,
Millepes,
Ostreum,
Sæpia,
Squilla.

Lac.

Afininum, seu Afini, Muliebre, seu Multi-
Caprinum, seu Ca-
præ,
Equinum, seu E-
quæ,

eris,
Ovillum, seu Ovis,
Vaccinum, seu Vac-
cæ.

Lapis, vel Lapillus.

Bezoar occidentalis,
Orientalis,

Cancrorum,
E felle Bovino.

Pisces.

Anguilla,
Cetus, seu Orca,

Halec,
Huso.

Quadrupedes.

Alce,
Afinus,
Bos,
Caballus,
Capra,
Capricervæ occiden-
talæ,
Castor,
Catus Moschiferus,

Catus Zibethicus,
Cervus,
Elephas,
Equa,
Equus,
Lepus,
Ovis,
Vacca,
Vitulus.

Serpentinum genus.

Bufo,
Rana,

Serpens,
Vipera.

Sevum.

Bovinum,
Cervinum,
Oyillum,

Taurinum,
Vitulum, vel a reni-
bus Vituli.

Sperma

Sperma.

Ceti Ranarum.

*Stercus, vid. Excrementa.**Testæ.*

Concharum,	Ovorum,
Margarifer, &c.	Sepiæ,
Ostreorum,	Squillarum.

Volucres.

Anser,	Gallina,
Capo,	Gallus,
Columba,	Pavo.

Myrtus,	Quercus Gallifera,
Oliva,	Vulgaris,
Oxyacanthus,	Sambucus,
Palma Arecifera,	Suber,
	Tamariscus,
Dactylifera,	Terebinthus,
Oleosa,	Tilia,
Prunifera Japonica,	Ulmus,
Picea,	Vitis,
Pinus sativa,	Volubilis Siliquosa,
Sylvestris Montana Scotica,	&c.

PH Y T O L O G I A :

S E U

Regnum Vegetabile.**ARBOR, bōris.****ARBORES, bōrum.**

Abies femina,	Fraxinus excelsior,
Mas,	Humilior,
Amygdalus amar.	Hedera Arborea,
Dulcis,	Ilex cocci glandifera,
Betula,	Juglans,
Cerasus nigra,	Juniperus,
Rubra,	Laryx,
Cornus,	Laurus,
Cupressus,	Lentiscus,
Ficus,	Murus,

Arbores Bacciferæ.

Arbor Euonymo similis,	Myrtus,
Balsamum;	Oliva,
Berberis,	Oxyacantha,
Cubebæ,	Rhamnus,
Draco,	Rhus,
Hedera Arborea,	Sambucus,
Juniperus,	Terebinthus,
Laurus,	Thea,
Lentiscus,	Vitis,

Arbores Coniferæ.

Abies alba,	Picea,
Cupressus,	Pinus Sativa.
Larix,	

Arbores Glandiferæ.

Ilex Coccigera,	Suber.
Quercus Vulg.	

Arbores Pomiferæ.

Malus Aurantia,	Malus Sylv.
Citria,	Sylvestr.
Cydonea,	Piper rotundum,
Granata,	Pistacea,
Hortensis,	Tilia.
Limonia,	

Arbores

Arbores Pruniferæ.

Amygdalus amara,	Jujuba Indica,
Dulcis,	Malus Armeniac.
Arbor Benzoinifera,	Persica,
Cacovifera,	Nux moschata,
Tecomahac.	Olea,
Cerasus hort. rubra,	Prunus Sativ.
Sylv. nigra,	Sylvestr.
Cornus,	

Arbores Resiniferæ, Foliis deciduis.

Larix,	Terebinthus.
Lentiscus,	

Arbores Resiniferæ, Foliis perpetuis.

Abies alba,	Pinus sylv. Montana,
Cupressus,	Maritima,
Picea,	Scotica.
Pinus sativa,	

Arbores siliquosæ.

Acacia,	Tamarindi,
Cassia fistula,	Vaynillus.
Copaiba,	

Arbores & Frutices, Flore Amentaceo.

Abies,	Larix,
Betula,	Morus,
Cupressus,	Pinus,
Ilex Coccigera,	Populus,
Juglans,	Quercus,
Juniperus,	Suber.

Arbores & Frutices, Flore Monopetaloo.

Acacia,	Sambucus,
Caprifolium,	Ulmus,
Laurus,	Viscum.
Rhamnus,	

Arbores & Frutices, Flore Papilionaceo.

Cytisus,	Genista.
----------	----------

Arbores & Frutices, Flore Rosaceo.

Amygdalus,	Malus,
Aurantia,	Myrtus,
Berberis,	Persica,
Cacao,	Prunus,
Cassia,	Punica,
Cerasus,	Rhus,
Citreum,	Rosa,
Cornus,	Rubus,
Cydonea,	Senna,
Grossularia,	Tilia,
Hedera Arb.	Vitis.
Limon,	

B A C C A, *baccæ,*B A C C Ā E, *cārum.*

Alkekengi,	Ribesfiorum nigrorum,
Coffee,	Rubrornm,
Hederæ Arboreæ,	Rubi Idæi,
Juniperi,	Vulgaris,
Lauri, seu Laurinæ,	Sambuci, seu Sambu-
Mororum nigrorum,	Myrti, seu Myrtinæ,
Rhamni solutivi,	cinæ,
Rhois,	Spinæ albæ.

B A L S A M U M, *sāmi.*

Capivi,	Peruvianum,
Giliadense, seu ver-	Tolutanum.

rum,

C A P U T, *pītis,*
C A P I T A, *pītum.*

Cardsi Benedicti,	Nigri,
Papaveris albi,	Stoechados.

CAULIS, *caulis,*
CAULES, *lium,*
&
CAULICÜLI, *lōrum.*
vid. *Stipites.*

CEREA LIA, vid. *Plantæ Leguminosæ.*

COMA, *comæ,*
COMÆ, *mārum,*
Floridæ, seu florentes & tene-
ræ, vid. *Summitates.*

CONUS, *coni,*
CONI, *nōrum.*
Abietis,
Cupressi,
Pini.

CORTEX, *tīcis.*
CORTICES, *tīcum.*
Aurantiorum acci-
dorum immaturo-
rum,
Maturorum,
Berberis,
Canellæ albæ,
Caryophillatus,
Cassia lignæ,
Chinæ Occidentalis,
Orientalis,
Cinnamom. dictus,
Citreorum,
Cydoneorum,
Ebuli interior,
Eleutheræ,
Glandis Quercinæ,
Granatorum,

Ligni Guajaci,
Sassafras,
Limonum,
Lini,
Mali sylvestris,
Nucis Moschatæ se-
cundus, seu Macis,
Peruvianus,
Quercus vulgaris, seu
Quercinus,
Radicum Capparis,
Sambuci Medianus,
Tamarisci,
Ulmi,
Winteranus.

CYMAE, *mārum.*
vid. *Summitates.*

FIBRAE, *brārum.*

Radic. Ellebori ni-
gri,
Nardi Indic.
Celticæ,

Serpentar. Ca-
rolinean.
Virginianæ,
Valerianæ.

FLOS, *floris,*
FLORES, *flōrum.*

Aurantiorum,
Balaustiæ arboris, seu
Flores Mali Gra-
nati sylvestris,
Bellidis majoris,
Betonicæ,
Boraginis,
Buglossi,
Calendulæ,
Cardui stellati,
Caryophilli horten-
sis,
Chamæmeli Roma-
ni,

Vulgaris,

Cheyri,
Cyani,
Digitalis,
Fabarum,
Genistæ,
Granatæ sativæ Cyti-
ni dicti,
Hyperici,
Lamii albi,
Lavendulæ cum cali-
cibus,
Leucoii,

Damascenarum,

Rubrarum,

Sambuci,

Spinæ albæ,

Stoechados,

Symphyti,

Theæ Bohee did.

Tiliæ,

Violarum,

Valerianæ horten-

Sylvestris

veræ

Folia à stipitibus liberata.

Agrimoniæ odoratæ,
Vulgaris,
Alchymillæ,
Altheæ,
Artimesiaæ,
Asari,
Bardanæ,
Betonicaæ,
Boni Henrici,
Brassicæ non capi-
tatae,
Caprifoliæ,
Cichorei sativæ,
Conyzæ majoris,
Costi hortensis,
Dentis Leonis,
Dracontii,
Ebuli,
Endiviæ,
Grossulariæ,

Hormini,
Lactucæ sylv.
Lamii albi,
Lepidii,
Lilii convallii,
Linguæ Cervinæ,
Malvæ.
Marrubii,
Meliloti,
Melissæ,
Menthæ,
Menthrafstri,
Nicotiani Angl.
Virgin.
Plantag. Aquat.
Vulgaris,
Populi nigri,
Porri,
Pulmonariæ,
Quercus Vulgaris.

*Folia cum Cauliculis & Flori-
bus ; vel Herbæ floridæ, seu
florescentes.*

Abrotani Maris,
Absynthii Maritimi,
Romani,
Vulgaris,
Adianti albi,
Nigri,
Alsines,
Anagallid. Aquat.
Aparines,
Apii,
Atriplicis fetidæ,
Bellidis majoris,
Brassicæ capitatae,
Bursæ pastoris,
Calaminthæ Vulga-
ris,
Capilli Veneris ve-
ri,

Chamæmeli,
Centaurii minoris,
Chamædrys,
Chamæpytis,
Chelidonii majoris,
Cochleariæ Britan.
Hortensis,
Corallinæ,
Corallii,
Dictamni Cretici,
Falsi,
Elatines,
Equiseti,
Epithymi,
Erucæ,
Erysimi,
Euphragiæ,
Fœniculi,

Fragariæ,	Millefolii albi,
Galegæ,	Purpurei,
Gentianellæ Autuni-	Nasturtii Aquat.
nalis,	Hortensis,
Geranii Robert.	Nepetæ,
Gnaphalii,	Ocymi,
Hederæ terrestris,	Origani,
Hyssopi,	Panacis Coloni,
Kali,	Paraguay,
Lavendulæ Angus-	Parietariæ,
tifol.	Paronychiæ,
Latifol.	Percepier Anglo-
Lichen. terrestris,	rum,
Linariae,	Petrofelinæ,
Lini Cathartici,	Pilosellæ,
Majoranæ,	Pimpinel.
Mari Syriaci,	Saxifrag.
Polygoni,	Polytrichi,
Matricariæ,	Ptarmicæ,
Meliloti,	Pyrolæ,
Mercurialis feminæ,	Pulegii,
Maris,	Rutæ.

FRUCTUS, fructus,
FRUCTUS, fructuum,

Amygdalæ amaræ,	Ficus aridæ, seu pas- sæ virides,
Dulcis,	Glæn. Quercin.
Armeniacæ mala,	Granata Mala,
Aurantia mala,	Jugland.
Berberis,	Limonia Mala, seu
Cacao,	Limones.
Caryophilli Aroma- tici,	Sylvestris,
Cassia Fistulæ,	Mala Hortensis,
Cerasa nigra,	Sylvestris,
Rubra,	Morum dictus,
Citreæ mala,	Nux Moschata,
Colocynthidos,	Oleæ, v. Olivæ dic- ti.
Cornæ,	Palmæ oleofæ,
Cubebæ,	Passulæ majores, seu
Cucumeris Asinini,	Uvæ passæ,
Cydonia mala,	Minores, seu
Cynosbati,	Uvæ Corinthia- cæ,
Daëtyli, seu fructus	
Palmæ,	

Persica Mala,
Piper album,

Jamaicensē,

Longum,

Nigrum,

Poma hortensia fra-
grantia, feu re-

dolentia, Pipina
Aurea,

Pruni sativæ,

Sylvestris, seu

Prunella:

Tamarindi,

Vainilia.

Quercus vulgaris,
Rosarum rubrarum,

Sambuci;

Urticæ.

G R A N U M , *grani*, G R A N A , *nōrum*.

Actes, i.e. Sambu-
ci baccæ,
Avenæ,
Hordei distichi,
Polystichi,

Kermes,

Paradisi.

Secalis,

Tritici.

G U M M I .

Arabicum,
Cerasorum,
Lacca dictum,

Senega,
Tragacantha.

Gumma Resinæ.

Ammoniacum,
Assafœtida,
Galbanum,

Myrrha,
Opopanax,
Sagapenum.

Lachryma.

Betulæ,
Papaveris albi,

Vitis.

L A N U G O , Artemisiæ Chinensis, Moxa dict. Gotsipii fructus.

Legumina Folio Gramineo, vid.
Plantæ Leguminosæ.

L I G N U M , *liḡi*, L I G N A , *nōrum*.

Abietis femin.
Arboris Camphori-
feræ,
Tubariæ,
Chinæ,
Colubrinum,

Cupressi,

Guajaci,

Piceæ,

Rhodium,

Sassafras,

Visci.

F R U T E X , *tūcis*, F R U T I C E S , *tūcum*.

Acacia, seu Spina

Ægyptiaca,

Balsamum,

Berberis,

Capparis,

Cynosbatus,

Ebulus,

Genista Vulgaris,

Grossularia,

Juniperus,

Rhamnus,
Ribes,
Rosa,
Ros-marinus,
Rubus Idæus,
Vulgaris,
Sabina,
Thea frutex,
Tragacanthum,
Viscum.

Frutices Bacciferæ.

Berberis,

Ebulus,

Morus,

Myrtus,

Oxyacanthus,

Rhamnus,
Ribes,
Rubus,
Viscum.

F U N G U S , fungi.

Rotundus.

G E M M A , *gemmæ*, G E M M Ā E , *mārum*, S E U

G E R M E N , *mīnis*, G E R M I N A , *mīnum*.

Absynthii Santoni-
ci,

Cappareos,

Genistæ,
Lupuli Salictarii,
Populi nigri,

**MALUM, mali,
MALA, lōrum.**

Agreste, seu Sylvestre,
Aurantium, Armeniacum,
Citreum, Cydoneum, seu Cotoneum,

Granatum, seu Punicum,
Limonium, seu Limon.
Persicum, Pipinum aureum,
Redolens.

**MALUS, mali,
MALI, lōrum.**

Armeniaca, Aurantia sativa,
Sylvestris, Citrea, seu Citria,
Cydonea, seu Cotonea,

Granata, seu punica sativa,
Granata Sylvestris,
Hortensis, seu sativa,
Persica, Sylvestris.

MUSCUS, musti.

Aureus Indicus, Pocoempie dict.

Pixidatus.

NUX, nucis,

NUCES, nucum.

Cacao, Cupressi,
Juglans dicta,

Moschata, Pistacia..

NUCLEUS, clēi;

NUCLEI, ōrum.

Amygdalorum, Conorum Pinus,
Fruetuum Cerasorum nigrorum,
Palmæ Dactyliferæ,

Malorum Armeniacorum,
Perficorum, Nucis Moschatæ,
Pinei.

Oculi, vid. Gemmæ.

**PISTILLUM, tilli,
PISTILLA, ōrum.**

Florum Croci sativi.

Plantæ Aquaticæ.

Anagallis Aq. Nymphæa,
Betonice Aq. Plantago Aq.
Lapathum Aq. Trifolium Aq.
Mentha Aq. Valeriana Aq.
Nasturtium Aq.

Plantæ Asperifoliae.

Anchusa, Lithospermum;
Borago, Pulmonaria,
Buglossum, Symphitum.
Cynoglossum,

Plantæ Bacciferæ.

Alkekengi, Lilium convallium,
Arum, Polygonatum,
Asparagus, Solanum.
Brionia,
Mirabilis peruviana,

Plantæ Bulbosæ.

Allium, Lilium,
Cœpa, Porrum,
Crocus, Scylla.

Plantæ Capitatae.

Bardana, Centaur. majus,
Carduus Benedict. Cyanus.
Carthamus,

Plantæ Corymbiferæ.

Abrotanum, Helenium,
Absynthium, Matricarium,
Artemisia, Millefolium,
Bellis, Ptarmica,
Calendula, Pyrethrum,
Chamæmel, Tanacetum,
Costus Hortorum,

Plan-

Plantæ Corymbiferis affines.

Scabiosa, Eryngium.

*Plantæ Culmiferae.*Arundo saccharif. Hordeum;
Avena, Oryza,
Frument. Amyle- Secale;
um, Triticum.*Plantæ Leguminosæ.*Anonis, Glycyrrhiza,
Cicer, Melilotus,
Faba, Orobus,
Fœnum Græcum, Pilum,
Galega, Vicia.
Genista,*Plantæ Marinae.*Corallina, Spongia..
Corallum,*Plantæ Maritimæ.*Absynthium, Kali.
Eryngium,*Plantæ perpetuâ fronde
virentes.*Aloe, Heder. terrefris,
Anagall. Aq. Hypericum,
Asarum, Majorana,
Bellis, Marum,
Bugula, Nasturt. Aquat.,
Capillares, Polypodium,
Chamæmel. Rapum,
Cheiri, Salvia,
Cochlear. Sedum,
Eryngium, Serpillum,
Ficus Indica, Telephium.
Fragaria,*Plantæ Pomiferae.*Colocynthis, Granadilla.
Cucum. sylv.*Plantæ Siliquosæ.*Brassica, Fumaria,
Bursa pastor. Nasturt. hort.
Chelidon : Rapum,
Eruca, Raphan. Rustic.
Erysimum,*Plantæ Stellatae.*Alfine, Pyrola,
Aparine, Rubia Tinctor:
Equisetum,*Plantæ substantiæ lapideæ.*

Corallina, Corallium.

*Plantæ Succulenta.*Acetosa, Crassula,
Atriplex, Kali,
Cæpa, Paronychia,
Cochlearia, Sedum.*Plantæ Vitricillatae.*Betonica, Melissa,
Calamintha, Mentha,
Chamædrys, Nepeta,
Chamæpytis, Ocymum,
Dictamn. Creticus, Origanum,
 Spurius,
Hedera Terrest. Pulegium,
Horminum, Rosmarinus,
Hyssopus, Salvia hort.:
Lamium, Sylv.
Lavendula,
Majorana,
Marrubium,
Marum,

Plante Umbelliferæ.

Anethum,
Angelica,
Anisum,
Apium hort.
Carum,
Cicuta,
Coriandrum,
Cuminum,
Daucus Vulg.

Fœniculum,
Færula,
Imperatoria,
Levisticum,
Panax Hercul.
Pastinaca,
Petroselinum,
Sanicula,
Saxifraga.

Herbæ flore Anomalo.

Aristolochia,
Arum,
Digitalis,
Dracunculus,
Euphrasia,
Fraxinella,

Fumaria,
Linaria,
Orchis,
Scrophularia.
Viola.

Herbæ flore Apetalo, seu Sta-

mineo.

Acetosa,
Alchimillæ,
Asarum,
Atriplex,
Avena,
Bistorta,
Cannabis,
Cyperus,
Equisetum,
Gramen,
Herniaria,
Hordeum,

Lapathum,
Lupulus.
Mercurialis,
Oryza,
Parietaria,
Paronychia,
Persicaria,
Polygonum,
Secale,
Triticum,
Urtica.

Herbæ quæ floribus carent.

Adiant. albuin,
Nigrum,
Capillus Vener.
Corallina,
Corallum,
Filix,
Fungus,

Lichen,
Lingua Cervin.
Muscus,
Polypodium,
Spongia,
Trichoinenes.

Herbæ flore Campaniformi.

Althæa,
Aparine,
Brionia,
Colocynthus,
Cucumis sylv.
Gentiana,
Gossipium,

Ketmia,
Lilium convalli,
Malva,
Polygonatum,
Rhabobar.
Rubia.

Herbæ flore Polypetalo, Caryophillato.

Caryophillus, Linum.

Herbæ flore Cruciformi.

Brassica,
Burfa Pastor :
Chelidon :
Cochlearia,
Eruca,
Erysimum
Lepidium,

Leucoium,
Nasturtium,
Aquat.
Rapum,
Raphanus,
Sinapi.

Herbæ Flore flosculoſo.

Abrotanum, Cyanus,
Absynthium, Gnaphalium,
Artimesia, Lappa, seu Bardan.
Carduus Bened. Petasites,
Stella t. Scabiosa,
Carthamus, Senecio,
Centaur. maj. Tanacetum.
Conyza,

Herbæ Flore Hypocrateriformi.

Plantago,
Primula Veris,

Psyllium.

Herbæ Flore Monopetalo Infundibuliformi.

Hyoscyamus,
Jallappa,

Nicotiana,
Valeriana.

Herba Flore Labiato.

Betonica,	Mentha,
Brunella,	Cataria,
Calamintha,	Ocymum,
Chamædrys,	Origanum,
Chamæpytis,	Pseudo dictamnum,
Horminum,	Rosmarinus,
Hyssopus,	Salvia,
Lamium,	Serpillum,
Lavendula,	Stoechas,
Majorana,	Thymus,
Marrubium,	Verbascum,
Melissa,	Verbena.

Herba flore Liliaceo.

Allium,	Dens Canis,
Aloe,	Lilium,
Cæpa,	Iris,
Crocus,	Porrum.

Herba flore Papilionaceo.

Anonis,	Melilotus,
Cicer,	Orobus,
Faba,	Pisum,
Fœnum Græc.	Tragacantha,
Galega,	Vicia.
Glycirrhiza,	

Herba flore Radiato.

Bellis,	Millefolium,
Caltha,	Ptarmica,
Chamæmel:	Tussilago,
Matricaria,	Virga aurea.

Herba flore Rosaceo.

Agrimonia,	Cistus Ledon.
Alsine,	Clematis,
Argemone Mex:	Elleborus,
Asparagus,	Filipendula,
Capparis,	Fragaria,
Caryophyllata,	Geranium,

Grānadilla,	Ranunculus,
Hypericon,	Ruta,
Kali,	Sylvestris,
Nymphæa,	Saxifraga,
Opuntia,	Sedum,
Papaver,	Telephium,
Pœonia,	Tomentilla,
Pyrola,	Ulmaria.

Herba Flore Rotato.

Alkekengi,	Pulmonaria,
Borago,	Solanum,
Buglossum,	Symphitum,
Capsicum,	Verbascum,
Cynoglossum,	Veronica.
Lithospermum,	

Herba Flore Semiflosculoſo.

Dens Leonis,	Scorzonera.
Lactuca,	

Pomum, vid. Malum.

Pomus, vid. Malus.

P U T Ā M E N , m ī n i s ,**P U T A M ī N A , m ī n u m .**

Nucis Juglandis	Nucis Moschatæ
extimum.	externum.

R A D I X , d i c i s ,**R A D I C E S , d i c u m .**

Acetosæ vulgaris,	Aristoloch. longæ,
Acori,	Rotundæ,
Allii,	Scandentis,
Altheæ,	Afari,
Anchusæ,	Asparagi,
Angelicæ,	Bardanæ;
Anonidis,	Bistortæ,
Apii,	Bryoniæ albæ,
Ari,	Calami aromatici,

Cary-

Caryophillatæ,
 Cassumuniar.
 Ceparum,
 Ascalonic.
 Chelidonizæ majoris,
 minoris,
 Chinæ occidentalis,
 orientalis,
 Cichorei sylvestris,
 Contrayervæ Hispa-
 nic.
 Jamaicensi:
 Curcumæ,
 Cynoglossæ,
 Cyperi longi,
 rotundi,
 Dentis Leonis,
 Dictamni albi,
 Eryngii,
 Filipendulæ,
 Fœniculi,
 Galangæ majoris,
 minoris,
 Gentianæ,
 Glycirrhizæ,
 Graminis Canini,
 Helenii,
 Hellebori albi,
 nigri,
 Hyoscyami,
 Hyperici,
 Jalappæ,
 Imperatorizæ,
 Ipecacuanhæ,
 Iridis Florentina,
 Nostratis,
 Lapathi Aquatici,
 Hortensis la-
 tifolii amplissimi.
 Longifolii,
 Rotundifolii,
 Sanguinei,
 Sylvestris folio
 acuto,
 Ramusculi, vid. Stipes

Lapathi folio obtuso,
 Lilii albi,
 Malvæ,
 Mechoacanne alba,
 Nardi Celticæ,
 Indicæ,
 Nymphæ,
 Orobi Sylvatici,
 Osmundæ Regalis,
 Pœonizæ maris,
 Feminæ,
 Pentaphylli,
 Petasitidis,
 Petroselini,
 Pimpinellæ,
 Saxifragæ,
 Plantæ Asæfætidæ,
 Polygonati,
 Polypodii Quercini,
 Porri,
 Pyrethri,
 Rapæ vel Rapi,
 Raphani hortensis,
 Rusticani,
 Rhabarbari veri,
 Rhapontici,
 Rubiæ Tinæ.
 Sarsaparillæ,
 Satyrii maris,
 Scorzonerae Hyspa-
 niæ,
 Nostratis,
 Scrophulariæ,
 Scyllarum,
 Serapias,
 Serpentariæ Virgi-
 nianæ,
 Tormentillæ,
 Valerianæ Aquati-
 cæ maj.
 Hortensis,
 Sylvestris veræ,
 Zedoariæ,
 Zinziberis.

R E S I N A, sīnæ,
R E S I N Ē, nārum.
 Abiegna, seu Abie-
 tis,
 Benzoini,
 Carannæ,
 Elemi,
 Guajaci Nativæ,
 Labdani,
 Laricea, seu Larycis,
 Lentiscinæ, seu ex
 Lentisco, i. e.
 Masticha,
 Myrræ,
S E M E N, mīnis,
S E M I N A, mīnum.
 Absynthii Santoni-
 ci,
 Acetosæ vulgaris,
 Anethi,
 Angelicæ,
 Anisi,
 Aurantiorum,
 Bamiæ Moschatæ,
 Bombacis,
 Cannabis,
 Cardamomi majo-
 ris,
 minoris,
 Cardui Benedicti,
 Stellati,
 Carthami,
 Carvi,
 Cicerum rubrorum,
 Citrei,
 Colocynthidos,
 Coriandri,
 Cumini,
 Cydoniorum,
 Dauci sylvestris,
 Erucæ,
 Olibani,
 Picea,
 Pinæ, seu Pini,
 Styracis,
 Tecomahaca,
 Terebinthina Ar-
 gentoratensis,
 Chinensis,
 Communis,
 Cypria,
 Veneta,
 Vera.
 Fœniculi dulcis,
 Fœnugræci,
 Fraxini,
 Gossipii,
 Hyoscyami,
 Levisticæ,
 Lini,
 Milii Solis,
 Oryzæ,
 Papaveris albi,
 Nigri,
 Spinosi,
 Pastinacæ sylvestris,
 Petroselini,
 Pisi,
 Plantaginis,
 Pœonizæ Maris,
 Psyllii,
 Rhois obsoniorum,
 seu Sumach,
 Rutæ,
 Sinapi,
 Staphidis agriæ,
 Tanaceti,
 Urticæ.

SILQUA, *liquæ,*SILQUÆ, *quarum.*

Acaciæ veræ,
Capsici.
Cardamomi majo-
ris,
minoris,
Gassia Fistulæ Alex-
andrinæ,

Americanæ,
Fabarum,
Tamarindorum,
Vanillorum cum Se-
minibus.

SIMPLICIA

è

PLANTIS NATA.

Auricula Judæ, seu Epithymum,
fungus ad sambu- Galla communis,
cum, Turcica,
Chermes Grana, Muscus aureus, seu
Cochinella quibusd. Poco sempie,
Viscus arborum.

STIPES, *pītis,*STIPITES, *pītum.*

Angelicæ, Fabarum,
Dracontii, Genistæ,
Equisetum foliis se- Paraguay.
taceis,

Stolones, vid. Turiones.

Succi condensati.

Acaciæ veræ, vel Euphorbium,
Anglicæ, Gutta Gambæ,
Aloes Barbadiensis, Manna,
Caballinæ, Opium,
Hepaticæ, Sanguis Draconis
Soccotrinæ, dictus,
Arundinis Saccha- Scammonium,
riferæ, Terra Japonica
Camphora, dictus.

Succi Liquidi.

Agresta pomacea, Kermes,
Vinosæ, Limonum,
Aurantiorum, Agrest.
Berberum,
Betulæ,
Citreorum,
Cydoneorum,
Granatorum,

Mali Sativi,
Sylvestris,
Rosaria Damascenarum.

SUMMITATES, *tātum,*

cum

Foliis & Flosculis, Floridæ,
Florescentes, & Floriferæ
dictæ.

Abrotani Maris, Herniariæ,
Absynthii Romani, Lamii albi,
seu Maritimi ve- Lavendulæ,
tri, Lini Cathartici,
Vulgaris, Marrubii,
Agrimoniæ odora- Matricariæ,
tæ, Menthæ Saxiphragæ,
Vulgaris, Mercurialis Gallicæ,
Altheæ, Millefolii,
Artimesia vulgaris, Ocymi Citrati,
Calaminthæ, Roris-marini,
Centaurii minoris, Serpilli,
Cochleariæ, Tanaceti,
Crassulæ, Thymi,
Euphragiæ, Ulmariæ.
Fumariæ,
Galegæ, Virgæ aureæ.

TURIO, *ōnis,*
TURIONES, *ōnum,*
SEU

Tenella Plantarum cacuminæ
primo erumpentia.

Abietis feminæ, Asparagi,
Scoticæ, Ebuli,

Lupuli Salictarii, Piceæ.

Vinum.

Album Gallicum,	Graveanum, Vin. i.
Montanum,	rubr. Gallin.
Portuense,	Moschatellum,
Alonense,	Malacense,
Burdegalense, i.	Malvaticum,
Vin. rubr. Gallic.	Rhepanum,
Canariense, seu Ca-	Rubrum Gallicum,
narignum,	Portuense.
Florentinum,	





Medicamenta Simplicia,

SECUNDUM

Virtutes digesta.

ABSORBENTIA,

*Animalium partes, & ex iisdem
producta.*

Apices nigræ, che- larum cancro- rum,	Margaritæ, Oculi cancrorum, Os Sæpiæ,
Concha Margariti- fera, Mytilorum, Ostreorum;	Offa humana, Succinum album, Testæ ovorum Gal- linarum,
Cornu cervi, Ebur,	Squillarum.

ABSUMENTIA vid. *Caustica.*

AD AMBUSTA, vid. *Anipyret.*

ALEXIPHARMACA, vid. *Di-
aphoret.*

ALEXITERIA, vid. *Diaphoret.*

ANODYNA, vid. *Hypnotica.*

ANTIARTHITICA.

Animalium Excrements.

Stercus Vaccinum, vel Bovinum.

Cortices.

Cappareos, Fraxini,	Tamarisci.
------------------------	------------

Folia.

Bardanæ, Chamædryos, Chamæpityos,	Plantag. Aquat. Salviæ agrestis.
---	-------------------------------------

Fossilia.

Sulphur.
Q. 2

Lanug.

Lanugo.

Artimesia.

- ANTICOLICA**, vid. *Carmi-*
nativa.
ANTIDOTA, vid. *Diaphoret.*
ANTIDYSENTERICA, vid.
Astringent.

ANTI ELMINTHICA.*Animalium partes.*

- Cornu cervi*, *Fel bovis.*
Ebur, seu dens Ele-
phantis,

Folia.

- Abrotani, *Hyperici cum flo-*
rib.
Absynthii, *Sabinæ,*
Centaur. min. eum *Scordii,*
flor. *Tanaceti.*

Flores.

- Abrotani, *Meliloti,*
Absynthii, *Sambuci,*
Hyperici, *Tanaceti.*

Fossilia.

- Argent. vivum, *Stannum.*

Muscus.

Corallina,

Radices.

- Allii, *Graminis,*
Gentianæ, *Rhabarbari.*

Semina.

- Absynth. Santonic. *Citri,*
Brassicæ, *Tanaceti.*

- ANTIEPILEPTICA**, vid. *Ce-*
phalica.

- ANTIHECTICA**, vid. *Bechica.*

ANTIHÆMORRHOIDALIA.*Folia.*

- Linariæ, *Sedi,*
Nicotianæ, *Telephii.*

Radices.

- Chelidonii mino- *Scrophulariæ majo-*
ris. *ris.*

- ANTIHYDROPICA**, vid.
Cathartica.

ANTI-ICTERICA.*Animalium Excrementa.*

- Stercus Anseris, *Stercus Ovis.*

Cortices.

- Berberis interioris, *Radicis Cappareos.*
Ebuli,

*Flores.**Hyperici.*

- Alfines, *Cichorei sativ.*
Centaurii minor. *Fragariaæ,*
Chelidonii, *Marrubii albi.*

Fructus.

- Aurant. *Limon.*

Insecta.

- Millepedes, *Lumbrici.*

*Metalla.**Ferrum.**Pistilla.**Radices.*

- Chelidonii, *Fragariaæ,*
Cichorii, *Lapathi Monach.*
Curcumæ, *Rubix Tinctorum.*

Semina.

Semina.

Cannabis.

ANTIPESTILENTIALIA,
vid. *Diaphoret.***ANTIPYRETICA.***Ab Animalibus producta.*

Butyrum recens.

Animalium Excrements.

Sternus Gallinæ albiss.

Cortices.

Sambuci viridis.

Flores.

Sambuci.

Folia.

Alsinæ,	Salviæ,
Digitalis cum flor.	Sodi,
Hederæ terrefris,	Sambuci,
Ophioglossi,	Telephii.
Plantaginis,	

Fossilia.

Sal.

Radices.

Ceparum, Liliorum alborum.

Semina.

Cydoneor: Lini.

ANTISCORBUTICA.*Cortices.*

Canellæ albæ,	Sambuci interioris,
Radicis Cappareos,	Winteranus.

Flores, seu Geminæ

Cappareos, Lapuli salictarii.

Folia.

Acetosæ hortensis,	Fumariæ,
Vulgaris,	Geranii Robert.
Acetosellæ,	Lepidii,
Anagallid. Aquat.	Nasturt. Aquat.
Brassicæ rubræ,	Hortensis,
Cochliariæ hort.	Persicariæ acris,
	Maritimæ, Sedi parvi.

Radices.

Apii dulcis, seu ce-	Lapathi Aquat.
leri,	Raphani hort.
Ari,	Rusticani,
Helenii,	Polypodii Quercini.
Lapathi acuti,	

Semina.

Erucae.

*Succus.*Aurantiorum acid. Malorum. Sylvestri-
Betulæ, um.*Summitates, seu Turiones.*Abietis feminæ, Pinus Scoticae.
Piceæ,**APERIENTIA, vid. Discutien-**
tia.**APOPHLEGMATISANTIA,**
vid. *Masticatoria.***APOPLECTICA, v. Cephalica.****ASTRINGENTIA.***Ab Animalibus desumpta.*Ichthiocolla, Sanguis humanus,
Pili Leporis, Stercus Asinin.*Baccæ.*

Myrti.

Contine

Cortices.

Aurant. sylvestr.	Granatorum,
acidorum immat-	Quercus,
tur.	Suberis,
Cassia Ligneæ,	Ulmi.
Cinamomi,	

Excrecentia.

Gallæ Turcicæ.

Flores.

Balaustiorum,	Rosarum rubrar.
Lamii albi,	

Folia.

Alchymillæ,	Pilosellæ,
Bursæ pastoris,	Plantaginis,
Equiseti,	Poligoni,
Gnaphalii,	Rubi vulgaris,
Herniariæ,	Telephii,
Lapathi Sanguin.	Urticæ.
Millefolii,	

Fossilia.

Alumen,	Vitriolum.
---------	------------

Fructus.

Berberis,	Prunorum sylvestr.
Corni,	Quercus, seu Glan-
Cydoneorum,	des cum calicibus,
Cynosbati,	Rubi Idæi,
Mororum,	Vulgaris,
Nucum Cupressi,	Sumach.

Fungus.

Orbiculus.

Gummi.

Lacca,	Mastich.
--------	----------

Lapides.

Calaminaris,	Osteocolla.
Hæmatitis,	

Ligna.

Sassafras.

Marina.

Corallium,

Spongia.

Muscus.

Poco sempie.

Radices.

Bistortæ,

Caryophyllatæ,

Cynoglossi,

Filipendulæ,

Lapathi Aquat.

Sanguinei,

Osmundæ regalis,

Pentaphilli,

Sigilli Solomonis,

Symphyti,

Tormentillæ.

Succus.

Acaciæ vulgaris,

Fructuum acidor.

Hypocistidis,

Sanguis Dracon.

Terra, Japonica dic-
ta.*Terræ.*

Bolus Armena,

Vulgaris,

Cimolia alba,

Purpurascens,

Creta alba;

Lemnia,

Rubrica fabrilis,

Sigillata.

B E C H I C A.*Ab Animalibus producta.*

Lac Asinimum,

Muliebre,

Mel,

Sperma Ceti.

Balsamum.

Giliadense,

Tolutanum,

Pix Barbadiensis.

Flores.

Bellidis majoris, seu Buphthalmi.

Folia

Folia.

Adianthi albi,
Nigri,
Veri, seu
Capillor. Vener.
Erucæ,
Erysimi,
Gnaphalii,
Hederæ terrefris,
Hyssopi,

Linguæ Cervinæ,
Marrubii albi,
Pulmonar. Maculos:
Scabiosæ,
Succisæ,
Thymi,
Thee Bohea,
Trichomanes,
Tussilaginis.

Fossilia.

Sulphur.

Fructus.

Amygd. amaræ,
Dulces,
Cynosbati,
Daëtyli,
Ficas,
Nuclei Pinei,
Olivæ,

Pomorum redolentium cortices,
Passulæ majores,
minores,
Pistacei,
Pruna Damascena.

Gummi.

Arabicum,
Tragacanthæ.

Gumma. Resinæ.

Ammoniacum,
Benzoinum,
Masticæ,

Olibanum,
Styrax.

Muscus.

Pixidatus.

Pistilla.

Croci.

Radices.

Allii,
Cæparum,
Ascalonicar:
Glycyrrhizæ,
Helenii,

Iridis Florentinæ,
Raporum,
Scyllarum,
Zedoariæ.

Seminæ.

Bombacis, seu Gof-
fipii,

Floris Solis,
Fœniculi dulcis,

Lini,
Sinapi,

Urticæ.

Succus.
Saccharum.

C A R D I A C A.*Ab Animalibus desumpta.*

Bezoar Occident. Margaritæ,
Orientalis, Moschus,
Cornu Cervi, Sericum crudum,
Ebur, Zibethum.

Animal.

Cocchinellæ.

Flores.

Boraginis,
Buglossi,
Calendulæ,

Caryophill: hortens:
Ulmaria.

Fructus.

Cacao,
Vainilli.

Pistilla.

Croci.

Semina.

Bamiæ Moschatæ.

Succus.

Granorum Kermes.

Sulphura Medicam.

Ambea gryfea & nigra.

N. B. His adde Aromata ac
omnia fere Stomachica.

C A R M I N A T I V A.*Animalium Excrementsa.*

Stercus Caballi-
num,
Sternus Columbi-
num.

Baccæ.

Juniperi,
Lauri.

Cortices

Cortices.

Caryophillatus, Winteranus.

Flores.

Chamæmeli utriusque, Fabarum.

*Folia.*Angelicæ, Lauri.
Dracunculi,*Fructus.*Glandes Quercini, Piper Jamaicense,
Grana Paradisi, Longum,
Piper album, Nigrum.
De Guinea,*Radices.*Angelicæ, Imperatoriæ,
Cyperi longi, Levistici.
Rotundi,*Semina.*Anethi, Fœniculi dulcis,
Angelicæ, Vulgaris,
Anisi, Fœnigræci,
Carui, Levistici,
Coriandri, Pastinacæ sylvestr.*Stipites.*

Angelicæ.

C A T H A R T I C A.*Baccæ.*

Rhamni Cathartici,

Cortices.

Ebuli, Sambuci interior : a ligno derafus.

*Flores.*Persicæ Arboris,
Rosarum Damascenarum.*Folia.*Ebuli, Mercurialis,
Lini Cathartici, cæm Senæ Alexandr :
flosculis & sem :*Fructus.*Cassia fistulæ Alex- Cucumeris agrestis,
andrin : Tamarindi Arboris
Americanæ, Occidentalis,
Colocynthidos : Orientalis.*Radic s.*Brioniæ albæ, Polypodii Quercini,
Ellebori nigri, Rhabarbari veri,
Jalapii, Monachorum,
Iridis Nostratis, Rhaphontiticii Al-
Mechoacannæ, pini.*Resina.*

Guajaci Nativa.

*Semina.*Carthami, Eboli,
Colocynthidos, Papaveris spinosæ.*Succi concreti.*Aloes Barbad. Gambogii,
Caballin. Fraxini, Manna,
Hepat. dicta,
Soccotrin. Scammoniæ.**CEPHALICA.***Ab Animalibus desumpta.*Castoreum, Ungula Alces.
Cranium humanum,*Baccæ.*

Coffee, Visci Arborum.

*Flores.*Betonicæ, Roris mariae,
Fabarum, Salviæ,
Lavendulæ, Stoechados,
Liliorum convall : Tiliæ.
Pœoniæ Maris,*Folia.*

Folia.

- Betonicæ,
Epithymi,
Euphragiæ,
Lavendulæ,
Majoranæ,
Mari Syriaci,
Origani,
- Roris-marini,
Rutæ,
Salviæ,
Serpilli,
Theæ viridis,
Thymi,
Visci Quercus, &
aliarum Arborum.

Fossilia.

- Cannabaris nativa, Succinum.

Lignum.

- Visci cujusvis arboris.

Nuclei.

- Cerasorum nigro-
rum, Malorum Armeni-
acorum, Persicorum.

Radices.

- Cassumuniar : Valerianæ Sylv. ve-
Pœoniæ Maris, ræ.

Semina.

- Pœoniæ Maris, Rutæ.

CORRODENTIA, v. Caustica.**DEOBSTRUENTIA, vid.***Discutientia.***DETERGENTIA.***Ab animalibus producta.*

- Album Græcum, Vitellum Ovorum.

Cortices.

- Ulmi.

Folia.

- Caprifolii, Mercurialis Anglicæ,
Elatines, Sabinæ.

Gummi-Resinæ.

- Aloe, Myrrha,
Balsama omnia, Terebinthinæ.
Elemi,

Cuprum.

*Metalla.***DIAPHORETICA.***Ab Animalibus desumpta.*

- Cornu Cervi, dentalis,
Lapis Bezoar occi- Orientalis.

Baccæ.

- Hederæ Arboreæ, Lauri, sigillaria
Juniperi, masticæ.

Cortices.

- Citri, Lignorum Sassa-
Lignorum Guajaci, fras.

Flores.

- Calendulæ, Papaveris rubri.

Folia.

- Cardui Bened : Scordii,
Dracontii, Succisæ,
Galegæ, Ulmariæ,
Scabiosæ,

Fruktus.

- Nuces Jugland. immaturæ.

Gumini.

- Aloe, Myrrhæ.

Lignum.

- Guajacum, Sappaphras.

Pistilla.

- Croci.

Radices.

- Angelicæ, Fraxinellæ,
Aristolochiæ Jamai- Imperatoriæ,
censis, Petasitidis,
Bardanæ, Pentaphylli,
Caryophyllatæ, Sarsaparillæ,
Chinæ, Scorzonerae,
Contrayervæ virgin. Serpent. Virg.
Carolin :

Tomentilla,
Valer. hort.

Zedoarix.

Lemnia,
Sigillata,

Terra.

Bolus Armena.

DISCUTIENTIA.

Animalium Excrements.

Album Græcum,	Fimus, s. Stercus,
Axungia humana,	Columbinus,
Fimus equinus,	Saliva humana.

Bacce.

Juniperi,	Lauri,
-----------	--------

Excrements.

Fex Vini.

Flores.

Centaurii minor :	Roris Marini,
Chamæmeli,	Sambuci,
Lavendulæ,	Stoechados.
Meliloti,	

Folia.

Abrotani,	Origani,
Absynthii,	Pulegii,
Calaminthæ,	Roris marini,
Caprifolii,	Rutæ,
Hyssopi,	Sabinæ,
Lauri,	Scordii.
Majoranæ,	

Fructus.

Piper.

Gummi.

Ammoniacum,	Sagapenum,
Galbanum.	

Semina.

Anethi,	Fœnigraci,
Anisi,	Secalis,
Carvi,	Smapi,
Cynimi,	

Aristoloch :
Galangæ,

Helenii,
Iridis Florentina.

Radices.

Apis,	Formicæ,
Bufo,	Millipes,
Cantharis,	Talpa.

DIURETICA.

Animalia.

Apis,	Formicæ,
Bufo,	Millipes,
Cantharis,	Talpa.

Ab animalibus producta.

Lapis e felle Bovino,
Testæ Ovorum.

Arbor.

Betulæ Succus,	Tubariae Jamaicensis in cineres re-
Rami Arboris—	dacti.

Bacce.

Alkekengi,	Juniperi,
Ciceris rubri,	Lauri,
Fragariz,	Oxyacanthæ.

Balsamum.

Capiyi,	Peruvianum,
---------	-------------

Cartices.

Fraxini,	Genistæ,
Genistæ,	{ Medianus,
Tamarisci,	{

Flores.

Altheæ,	Genistæ,
Cardui Stellati,	Oxyacanthæ.
Chamæmeli,	

Folia.

Altheæ,	Malvæ,
Aparines,	Menthæ Saxiphra-
Baccharis Monspeli:	gæ,
Cichorii,	Naiturt. Verrucosæ,
Endiviaæ,	Paraguay,
Genistæ cum ramu-	Percepier,
lis,	Persicaria urentia,
	Pe

Petroselini,
Theæ viridis,

Verbenæ,
Virgæ aureæ.

Fossilia.

Vitriolum album.

Fossilia.

Nitrum,
Succinum,

Tincar, ex quo Bo-
rax.

Lignum.

Colubrinum.

Radices.

Ellebori albi,
Ipecacuanæ,

Ireos Nostratis,
Scyllarum.

Grana, seu fructus.

Fraga, Hordei utriusque.

Gummi.

Arabicum,
Ceraforum,

Senega.

Radices.

Acetosæ,
Altheæ,
Apii palustris,
Ari,
Asari,
Asparagi,
Broniae,
Cardui Stellati,
Ceparum,
Dentis Leonis,
Eryngii Maritimi,

Filipendulæ,
Fœniculi,
Graminis canini,
Ononidæ,
Petroselini,
Pimpinellæ Saxiphr.
Rhaphani hort:
Rusticani,
Saxiphragæ alba,
Scyllarum.

Seminæ.

Cardui Stellati,
Dauci sylvestris,
Ebuli,
Erucaæ,

Fraxini,
Lithospermi,
Petroselini,
Urticæ.

Succus.

Betulæ,
Fructuum omnium
acidorum,

Terebinthi.

*EDULCORANTIA, vid. Ab-
sorbentia.*

EMETICA.

Folia.

Afari,
Cardui Bened:

Senecionis.

Antimonium,

Fossilia.

Colubrinum.

Radices.

Ellebori albi,
Ipecacuanæ,

Ireos Nostratis,
Scyllarum.

*EMMENAGOGA, vid. Hyste-
rica.*

EMOLlientIA.

*Ab Animalibus producta, vel
desumpta.*

Adeps, seu Axungia Intestina Gallina-
omnium anima- rum.
liuin officinalium,

Flores.

Chamæmeli, Meliloti,
Liliorum alborum, Sambuci.

Folia.

Altheæ, Mercurialis Angli-
cæ,
Hyoscyami nigri, Parietaria,
Malvæ, Violarum.

Fructus.

Ficus, Olivæ, unde Oleum.

Gummi Resinæ.

Ammoniacum, Terebinthiuæ,
Galbanum, Thus.
Opopanax,

Radices.

Altheæ, Liliorum alborum,
Broniae, Malvæ.

Semina.

Cydoneorum, Lini,
Fœnugræci, Pyllii.

EPISTASTICA.*Animalia.*

Cantharides.

Ab Animalibus producta.

Fimus Columbinus.

Folia.

Ranunculi Flammei.

Gummi.

Ammoniac : Pix.

Euphorb :

Lapis.

Calcarius.

Radices.

Ellebori albi, Raphani Rusticani,
Pyrethri, Zinziberis.

Semina.

Sinapi, Staphidis agriæ.

EPULOTICA.*Fossilia.*

Alumen, Bolus Armeniaca.

Gummi.

Sarcocolla.

Lapides.

Calcarius, Hæmatitis.
Calaminaris,

ERRHINA.*Flores.*

Liliorum alborum.

Folia.

Asari, Mari,
Betonicæ, Nicotianæ utriusq:
Lauri, Primulæ veris,
Majoranæ, Ptarmicæ.

Gummi.

Euphorbium.

Radices.

Cassumuniar, Iridis nostratis.
Ellebori albi,

ESCHAROTICA, vid. *Caustica.***EXEDENTIA**, vid. *Caustica.***EXPECTORANTIA**, vid: *Betonica.***FEBRIFUGA.***Animal.*

Halec.

Ab Animalibus producta.

Telæ Aranearum.

Cortex.

Eleutheræ, Peruvianus.

Flores:

Chamæmeli.

Folia.

Cardui Benedicti, Chamædryos,
Centauri minoris, Lauri.

Fructus.

Quercus arboris.

Lignum.

Colubrinum.

Mineralia.

Alumen, Nitrum.
Antimonium,

Radices

Radices.

- Acetosæ,
Asari,
Caryophillatæ,
Contrayervæ His-
panicæ,
- Contrayervæ Ja-
maicensis,
Gentianæ,
Serpentariæ Virgi-
nianæ.

Summitates.

- Centaurii minoris.

FLATUS DISCUTIENTIA,
vid. *Carminativa.*

HYDROTICA, vid. *Diaphore-
tica.*

H Y S T E R I C A.*Ab Animalibus desumpta.*

- Castoreum,
Hepar Anguillæ,
cum felle,
Anguis,
- Moschus,
Verrucæ Equorum
seu Lichenes.

Flores.

- Chamæmeli,
Croci sativæ,
- Mali Aurantii.

Folia.

- Abrotani Maris,
Artemesiæ,
Atriplicis fætidæ,
Calaminthæ,
Chamædryos,
Chamæptyios,
Dictamni Cretici,
seu veri,
Falsi,
Grossulariæ,
- Hormini,
Lamii albi,
Marrubii albi,
Matricariæ,
Nepetæ,
Ocymi odore Citri,
Pulegii,
Sabinæ,
Serpilli,
Tanaceti.

Fructus.

- Offa Dactylorum.

Gummi Resinæ.

- Affa-fætida,
Galbanum,
Myrrha,
- Opopanax,
Sagapenum.

Mineralia.

- Borax nativa,
Ferrum,

Stannum.

Radices.

- Aristolochiæ longæ, Curcumæ,
rotundæ, Hellebori nigri,
Brioniæ albæ, Valerianæ horten-
sis.

H Y P N O T I C A.*Capitæ.*

- Papaveris albi, Papaveris nigri,
Flores.

- Papaveris Erratici, Paralysios.

Folia.

- Hyoscyami nigri, Lupuli,
La&ucæ sylvestris, Solani.

Radices.

- Cynoglossi, Hyoscyami nigri.

Semina.

- Hyoscyami albi, Papaveris albi,
Papaveris nigri.

LITHONTRIPTICA, vid. *Di-
uretica.*

M A S T I C A T O R I A.*Folia.*

- Majoranæ, Salviæ.

Fructus.

- Cubebæ.

Gummi.

- Mastiche.

Radices.

- Angelicæ, Zinziberis.
Pyrethri,

Semina.

- Piperis albi, Sinapi,
nigri, Staphidis agriæ.

M A T U R A N T I A.

Ab Animalibus desumpta.

Axungia Anseris, Axungia humana,
Gallinæ, Porcina.

Animalium Excrementa.

Stercus Bovinum, Stercus Ovinum.
Columbinum,

Flores.

Chamæmeli Roman : Meliloti.
Vulgaris,

Folia.

Acetosæ vulgaris, Malvæ,
Altheæ, Violar.

Fructus.

Ficus.

Gummi.

Ammoniac. Thus.

Resinæ.

Pix Burgund : Pix liquida.

Semina.

Fœnugræci, Tritici.
Lini,

MENSES MOVENTIA, vid.

*Hysterica.*MENSES SISTENTIA, vid.
Astringent.

NARCOTICA, vid. *Hypnotica.*

NASALIA, vid. *Errhina.*

NEPHRITICA, vid. *Diuretica.*

OPHTHALMICA.

Ab Animalibus desumpta.

Albumen ovi agitatæ,
Sperma Ceti.

Flores.

Cyani Segetum, Rosar : pallidarum,
Rosar : albarum, Rubrarum.

Folia.

Chelidonii majoris, Fœniculi
Euphragiæ, Plantaginis.

Fossilia.

Lapis Calaminaris, Vitriolum album.
Tutiæ,

Pistilla.

Florum Croci.

Semina.

Cydoneorum, Hormanni,
Fœniculi, Psyllii.

OXYDORCICA, vid. *Ophtalmica.*

PARTUM MOVENTIA.

Borax Officin : Ossa Daëtylorum,
Hepar Anguillarum Crocus,
cum felle, Castoreum,
Cinamomum, Testiculi equorum.

PAREGORICA, v. *Hypnotica.*

PECTORALIA, vid. *Bechica.*

PNEUMONICA, vid. *Bechica.*

PRÆCIPITANTIA, vid. *Ab-
sorbentia.*

PTARMICA, vid. *Errhina.*

RAREFACTIENTIA, vid. *Dis-
cutientia.*

REFRIGERANTIA.

Ab Animalibus.

Albumen Ovi.

Folia.

Alfines, Endiviæ,
Brassicae Sativæ, Lujulæ,

Polygoni,
Populi nigri,
Ribes,

Sedi majoris,
Solani.

REPELLENTIA.

Ab Animalibus desumpta.
Albumen Ovi.

Cortices.

Quercus,

Balaustii,
Nymphaeæ,

Alfines,
Cupressi,
Hyoscyami nigri,
Myrti,

Flores.

Rosarum rubrarum:

Folia.

Plantaginis,
Quercus,
Sedi,
Solani.

Fruktus.

Myrti baccæ.

Fungus.

Ad Sambucum.

Radices.

Bistortæ,

Sigilli Solomon:

Tormentilla.

Sat.

Alumen.

RESOLVENTIA, vid. Discutientia.

SARCOTICA, vid. Vulneraria.

SCELOTURBICA, vid. Antiscorbutica.

SEMEN GENERANTIA.

Animalia.

Ostrea,

Viperæ,

Ab Animalibus producta.

Moschus,

Zibethum,

Fruktus.

Cacao,
Nuclei Pinci,

Nuclei Pistaci,
Piper.

Radices.

Eryngii,
Satyrii.

Serapiados.

Semina.

Erucae,

Sinapios.

N. B. In hoc sensu numerantur calida omnia & acria.

SEPTICA, vid. Caustica.

SPIRITUS REFICIENTIA,
vid. Cardiaca.

STERNUTATORIA, vid. Erhina.

STOMACHICA.

Cortices.

Aurantiorum His-
palensium, Cinamomi,
Caryophillatus A- Citri,
mericanus, Cydoneorum,
Cassia lignea com- Limonum acido-
munis, rum,
Jamaic: Macis.

Flores.

Capparum, Lupuli,
Genistæ, Rosarum albarum;

Folia.

Agrimoniæ communi- Melissæ,
nis, Menthae,
Cardui Benedicti, Ocymi,
Cichorei sativæ, Trifolii paludosæ.

Fruktus

Fructus.

- Cardamomum majus,
minus,
Caryophilli Aromatici,
Cerasa rubra,
Cubebæ,
- Cydonea,
Cynosbati,
Fragariæ,
Grana Paradisi,
Nucis Moschatæ
nucleus,
Ribes:

Radices.

- Acori Pharmacop.
Calami Aromatici,
Cichorii sylvestris,
Cyperi longi,
Rotundi,
Galangæ minoris,
Majoris,
- Gentianæ,
Nardi Celticæ,
Indicæ,
Pimpinellæ Saxifragæ,
Zedoariæ,
Zinziberis.

Resinæ.

- Carappa, Mastiche,
Labdanum, Tecomahaca.

Semina.

- Bamiæ Moschatæ, Grana Paradisi.
Cardamomum utriusq;

Stramen, seu Culmus.

Schoenanthus.

Succi.

Fruetuum acidorum.

Summitates.

- Absynthii Maritimi, Centaurii minoris,
Romani veri, Gentianellæ autumnalis,
Vulgaris, Verbenæ.

SUDORIFERA, vid. *Diaphoretica*.

SUPPURANTIA, vid. *Maturantia*.

TESTACEA, vid. *Absorbentia*.

THORACICA, vid. *Bechica*.
TRAUMATICA, vid. *Vulneraria*.

VERMES NECANTIA, vid.
Antielmintica.

VESICANTIA, vid. *Epispastica*.
VOMITORIA, vid. *Emeticæ*.
VULNERARIA.

Animalia.

Cancri fluviatilis.

Ab Animalibus desumpta.

Intestina Ovina, Telæ Aranearium.

Balsamum.

- Capivi, Terebinthina,
Giliadense, Tolutanum,
Peruvianum,

Folia.

- Alchymillæ, Hyperici cum floribus.
Aparines, Paronychia,
Centinodii, Plantaginis,
Digitalis, Prunellæ,
Elatines, Pyrolæ,
Equiseti, Geranii Robertianæ:
Hederæ terrestris, Saniculæ,
Herniariæ, Symphiti,
Telephii, Ulmaria.

Gummi.

- Elemi, Thus.
Sarcocolla,

Lapis.

- Cancrorum, Hybernicus.
Corall: rubr: Osteocolla.

Radices.

- Anchusæ, Rhabarbari Anglici,
Lapathorum omnium, Scrophularia Aquatica.

Ernest Augustus Jager

